

Best of

#2/2026

New products and top promotions

Experience the full power!

A wealth of new products, smart technology and cutting-edge innovations.

Promotions run until 31.01.2027
Only while stocks last and only from participating dealers!

NEW! Better performance with FLEX Tabless

More power. Faster charging times. Greater efficiency.

→ Page 18

NEW! 18 V cordless nailer

High-speed power for uncompromising performance.

→ Page 4

NEW! TRACK-LOCK™

The smart wall-mounting system for a tidier workshop.

→ Page 52

NEW! New accessories

High-quality drill bits, cutting discs and saw blades

→ Page 54

FLEX

This is proformance

AI GENERATED



Get even more FLEX power now with your FREE BATTERY!

And it's this easy:

Register your FLEX 18 V cordless garden tool or another FLEX 18 V cordless tool from RRP £ 259 plus VAT* at <https://warranty.flex-tools.com> and you'll receive a free 18 V / 4.0 Ah battery pack worth £ 99 plus VAT.

And best of all:

By registering you'll also benefit from the FLEX 3-year warranty on your cordless tool.

3

YEARS

FLEX WARRANTY

3-year warranty

Simply register and use immediately at warranty.
[flex-tools.com](https://warranty.flex-tools.com)



* Promotion valid until 31.01.2027 · Only on selected tools and only while stocks last.
Not in conjunction with FLEXPACK. You can find the conditions of participation at <https://warranty.flex-tools.com>

Contents

New Product Highlights

18 V cordless nailer	4
18 V cordless angle grinder	6
18 V 1/4" cordless impact driver	7
18 V cordless eccentric sander Giraffe®	8
18 V mini angle grinder	11

Automotive innovations 14

12 V cordless flower trimmer	15
18 V cordless random-orbital polisher	16
18 V battery-powered spray-extraction vacuum cleaner	17

Tablet batteries 18

FLEXPACK

18 V	22
18 V XL	24
12 V	25

Promotions 26

STACKPACK™ 50

TRACK-LOCK™ 52

Accessories

Screwing & Drilling	54
Mixing baskets	57
Grinding	58
Sawing & Cutting	60

NEW



Page 4

NEW



Page 8

NEW



Page 15

NEW



Page 18

NEW



Page 52

High-speed power for uncompromising performance

NEW



18 V cordless strip nailer NF 50-90 18-EC

18V
Battery voltage

Li-Ion
Lithium-Ion technology

BRUSHLESS
EC-Motor Technology

53 pcs.
Magazine capacity

3 nails
per second

2 Mode
Magazine bracket

50-90
mm
Nail length

Stepless depth
adjustment

30° - 34°
Nail diameter

No gas
cartridge

LED Light


Bail handle

Technical data	
Battery voltage	18 V
Magazine capacity	53 pieces
Magazine bracket	30° - 34°
Nail diameter	2.8 - 3.3 mm
Nail length	50 - 90 mm
Nail type	D-head
Weight without battery pack	4.3 kg
Dimensions L x W x H	300 x 360 x 150 mm

Matching accessories EM 96 NF 50-90

Magazine with a capacity for 2 nail strips with max. 96 nails for 30°-34° cordless strip nailers.

- Order No. 535659
- 1x EM 96 NF 50-90



Promotion No. 02
810⁰⁰
excl. moms

NEW

Order No. 535466

- 1x NF 50-90 18-EC boxed

Promotion No. 01
5.218⁰⁰
excl. moms

Order No. 535465

- 1x NF 50-90 18-EC
- 1x carrying case L-BOXX® TK-L 374



Promotion No. 03
5.628⁰⁰
excl. moms



18 V cordless pin nailer NB 16-54 18-EC

FLEX pack 18XL

Order No. 535468

- 1x NB 16-54 18-EC boxed



NEW

Promotion No. 04
3.988⁰⁰
excl. moms

Order No. 535467

- 1x NB 16-54 18-EC
- 1x carrying case L-BOXX® TK-L 238



Promotion No. 06
4.295⁰⁰
excl. moms

18 V cordless staple gun SC 10-38 18-EC

FLEX pack 18XL

Order No. 535470

- 1x SC 10-38 18-EC boxed



NEW

Promotion No. 05
4.090⁰⁰
excl. moms

Order No. 535469

- 1x SC 10-38 18-EC
- 1x carrying case L-BOXX® TK-L 374



Promotion No. 07
4.500⁰⁰
excl. moms

Matching accessories:

Product	Set contents	Order No.	Price
<p>NEW</p> <p>ARK NF/NB/SC/NC</p>	The air refill kit allows you to top up the compressed air tank on all 18 V FLEX nailers and staplers quickly and easily. Thanks to the integrated 1/4-inch quick-connect coupling, the set can be easily connected to standard compressed-air hoses. The built-in air filter ensures that only clean compressed air enters the tool, which extends the service life of the nailer or stapler. The robust filling knob is designed for frequent use and allows for easy operation at the touch of a button.	536689	708,00

The new generation. Now even stronger!

18 V cordless angle grinder LBE 125-15 18-EC with variable speed and brake



- With an electronic brake, the tool stops in approx. 1.5 seconds
- It comes with a top-mounted slide switch. This is ideal for both right-handed and left-handed users and is also suitable for various grip positions, for example in cutting applications
- Anti-kickback (with gyro sensor); switches off the motor if the disc becomes jammed
- Extremely streamlined handle section with soft-grip inlays for perfect handling



As efficient as a 1500 W mains power supply (with an 8 Ah battery)

Technical data	
Battery voltage	18 V
Max. idling speed	3500-10,000 rpm
Max. disc diameter	125 mm
Dimensions L x W x H	320 x 75 x 120 mm
Tool holder	M14
Weight without battery pack	1.9 kg

18 V cordless angle grinder LB 125-15 18-EC with constant speed and brake

Technical data	
Battery voltage	18 V
Max. idling speed	10,000 rpm
Max. disc diameter	125 mm
Dimensions L x W x H	320 x 75 x 120 mm
Tool holder	M14
Weight without battery pack	1.9 kg

FLEX
pack 18

Order No. 534995

- 1x 18 V cordless angle grinder with brake, LBE 125-15 18-EC, boxed

Promotion No. 08
2.860⁰⁰
excl. moms

FLEX
pack 18

Order No. 534993


- 1x 18 V cordless angle grinder with constant speed and brake LB 125-15 18-EC, boxed

Promotion No. 09
2.655⁰⁰
excl. moms

NEW

Keeping it simple:

18 V cordless impact drill ID 1/4" 18-EC HD2



A compact powerhouse
Head length just 114 mm
Max. torque: 240 Nm

- Extremely high speed and torque
- 360° LED ring light for optimum illumination
- With bit ejector for quick and easy bit change
- Speed command: Three different speed ranges can be set
- Tap mode for self-tapping screws in sheet metal parts

Technical data	
Battery voltage	18 V
Max. idling speed	0-4100 rpm
Max. no-load blows	0-4550 rpm
Tool holder	1/4" internal
torque settings	3 levels
Max. torque	240 Nm
Weight without battery pack	1.1 kg
Dimensions L x W x H	114 x 76 x 208 mm

18 V Cordless Impact Driver, 1/4" ID, 18-EC LD

Ultra-short head
Head length just 95 mm
Max. torque: 175 Nm

Technical data	
Battery voltage	18 V
Max. idling speed	0-3400 rpm
Max. no-load blows	0-4300 rpm
Tool holder	1/4" internal
torque settings	3 levels
Max. torque	175 Nm
Weight without battery pack	0.78 kg
Dimensions L x W x H	95 x 70 x 200 mm



FLEX
pack 18

Order No. 535167

- 1x ID 1/4" 18-EC HD2

Promotion No. 10
2.204⁰⁰
excl. moms

FLEX
pack 18

Order No. 535166


- 1x ID 1/4" 18-EC LD

Promotion No. 11
1.487⁰⁰
excl. moms



Wireless and unique. 18 V cordless eccentric Giraffe®

GE 6 X 18-EC



- This unusually light machine offers unique user comfort.
- Powerful - with a brushless motor; flexible - no cable to get in the way.
- With a wear-free disc brake
- A flat, gimbal-mounted sander head with a swivelling range of 160° enables a high degree of flexibility.
- Variable speed, adjustable in increments from 1-6 with Power LED display
- Highly effective extraction
- For even greater precision, an optional light ring (page 32) can be fitted to the grinding head of the GE 6 X.

Technical data	
Battery voltage	18 V
Idle stroke rate	5500 - 8500 rpm
Sander disc Ø	225 mm
Stroke	4 mm
Head angle of inclination	160°
Tool holder	hook and loop
Length	1500 mm
Weight without battery pack	3.21 kg

Battery runtime:
with AP 18/5.0, up to 29 minutes
with AP 18/8.0XT, up to 46 minutes

Order No. 535802

- 1x 18 V cordless Giraffe GE 6 X 18-EC boxed

Promotion No. 12
6.140⁰⁰
excl. moms



PS-A 18 battery adapter with a 1.6 m cable



Cable length 1.6 m

The adapter consists of two parts: an adapter for the tool and an adapter for the battery, connected by a 1.6 m cable. The clip allows you to attach the battery to your belt. Wearing it on your body takes the strain off your arms and makes working much less tiring. Built-in thermal protection ensures safe operating conditions and prevents overheating. Ideal for longer periods of use and ergonomic processes. Suitable for all FLEX 18 V batteries.

Order No. 535719

- 1x PS-A 18

Promotion No. 13
503⁰⁰
excl. moms



USB Charging Adapter PS2 CA 12/18



Also suitable for charging laptops*

USB chargers for smartphones and other devices. The batteries are charged using a standard USB mains adapter via the bipolar USB-C port. With LED charge status indicator, as well as overheating, discharge and overload protection. USB-A connection - output voltage DC 5 V - rated output power max. 12 W, USB-C connection - input/output voltage DC 5/9/12/15/20 V - rated output power (18 V battery) max. 60 W - rated output power (12 V battery) max. 45 W - rated input power max. 60 W. Without cable, mains adapter.

Order No. 534767

- 1x PS2 CA 12/18

Promotion No. 14
503⁰⁰
excl. moms



The adapter has two ports: 1x USB-A and 1x USB-C.



For use as a charger for 18 V or 12 V battery packs

*Suitable for laptops and other devices with a minimum charging power of up to 60 watts and a USB-C port.

Wet stone polisher
LWE 15-3 100 with variable speed



- Powerful 1500 W motor
- The water supply and control system are located beneath the housing
- Quick-action brass coupling: for 1/2" water hose
- 2 m special hose

This item is supplied without the Velcro disc!

Order No. 535584

- 1x LWE 15-3 100 with PRCD personal protection switch: integrated into the cable

Promotion No. 15
5.218⁰⁰
excl. moms

SUPRAFLEX SE 16-2 125/150

- Specialist sanding tool for renovation, refurbishment, modernisation, machining of stainless steel, metal, natural/artificial stone, wood surfaces, painted surfaces.
- Powerful 1600 W motor
- Protective hood with swivel-action 125 mm edge segment
- continuous speed setting
- Constant speed control, overload protection, restart lock and temperature monitoring

Order No. 534832

- 1x SE16-2 125/150
- 1x hook & loop pad Ø 125 mm

Promotion No. 17
3.885⁰⁰
excl. moms

4 V cordless rotary tool RT 24 4

- Variable speed setting in steps from 1 to 5
- For grinding, engraving, cleaning, polishing or deburring
- Very lightweight, slim grip section with soft-grip inserts for precise, detailed work
- Compact, streamlined and ergonomic design
- Integrated LED light
- With 12 W USB-C charging port

Order No. 535769

- 1x RT 24 4

Promotion No. 18
409⁰⁰
excl. moms

Product	Set contents	Order No.	Price
 Accessory set DB 26	Accessory set for the RT 24-4 rotary tool, for grinding, engraving, cleaning, polishing or deburring. Consisting of: 13 mm sanding belt (grit 60/80/120), polishing paste, mandrel with 2 x 13 mm polishing wheels, mandrel with 24 mm cutting disc / 22.5 mm polishing wheel, 3.2 mm high-speed milling cutter, 2 mm diamond-tipped milling cutter, silicon carbide grinding stones 19.8 / 4.8 mm, bristle brush 13 mm, corundum grinding tip 9.5 / 4.8 mm, wire brush 19 mm and collet spanner. Box designed to fit the STACKPACK system; stackable.	535770	204,00



NEW

Order No. 535583

- 1x LWE 15-3 100 with moulded plug for isolating transformer

Promotion No. 16
4.705⁰⁰
excl. moms



NEW



NEW

Showing true greatness

NEW
18 V

18 V mini angle grinder
LBE 76 18-EC

Technical data	
Battery voltage	18 V
Max. idling speed	5000-20,000 rpm
Max. disc diameter	76 mm
Grip circumference	140 mm
Dimensions L x W x H	23 mm
Cutting depth	22 mm
Weight without battery pack	0.88 kg

FLEX
pack 18

Order No. 535371

- 1x LBE 76 18-EC boxed
- 1x cutting / roughing disc starter set
- 1x clip-on protective cover, Ø 76 mm
- 1x adapter for vacuum extraction
- 1x belt clip

Promotion No. 19
2.040⁰⁰
excl. moms

Order No. 535372

- 1x LBE 76 18-EC
- 1x carrying case L-BOXX® TK-L 136
- 1x cutting / roughing disc starter set
- 1x clip-on protective cover, Ø 76 mm
- 1x adapter for vacuum extraction
- 1x belt clip

Promotion No. 20
2.450⁰⁰
excl. moms



Head can be rotated 180°, ideal cutting for both right-handed and left-handed users The 90° position is suitable for grinding.




4-level variable speed adjustment 5000 / 10,000 / 15,000 / 20,000 rpm



Forward and reverse operation for pulling or pushing cut and for controlling spark production. Extraction unit (scope of delivery) can be attached directly to the clip-on cutting guard.



Integrated LED light in two positions with afterglow function



The FLEX range for professional cordless or wired metalworking

18 V cordless pipe belt sander BRE 50 18-EC

18V
Battery voltage

LITHION
Lithium-Ion technology

BRUSHLESS
EC-Motor Technology

CDC
Constant Drive Control

Temperature Monitoring

Overload Protection

Restart Protection

RPM
Speed Selection

Safety Brake System

Anti-Kick Back

- Tool-free saw blade changing
- Sanding belt dimension: 533 x 4 - 30 mm
- For optimum wrap-around on pipes up to max. 270° / Ø 50 mm



NEW

Technical data	
Battery voltage	18 V
Belt speed	2.5 / 5.0 / 6.4 / 7.8 m/sec
Idling speed	1700 / 2390 / 3080 / 3760 rpm
Belt length	533 mm
Belt width	4/9/30 mm
Suitable for max. pipe diameter	50 mm
Weight	2.7 kg

Order No. 535335

- 1x 18 V cordless belt sander, BRE 50-F 18-EC, boxed

Promotion No. 21
6.140⁰⁰
excl. moms

Further information about our extensive range of metal products



Pipe belt sanders BRE 16-3 125

Soft Start

CDC
Constant Drive Control

Temperature Monitoring

Overload Protection

Restart Protection

RPM
Speed Selection

Safety Brake System

Anti-Kick Back

Spindle-lock

- Tool-free saw blade changing
- Sanding belt dimension: 760 x 40 mm
- For optimum wrap-around on pipes up to max. 270° / Ø 125 mm



NEW

Technical data	
Power consumption	1600 W
Belt speed	4.4 - 12.6 m/sec
Idling speed	1400 - 3900 rpm
Belt length	760 mm
Belt width	40 mm
Suitable for max. pipe diameter	125 mm
Weight	3.4 kg
Dimensions L x W x H	495 x 185 x 350 mm

Order No. 535341

- 1x BRE 16-3 125 tubular belt sander boxed

Promotion No. 25
6.653⁰⁰
excl. moms

Order No. 535336

- 1x 18 V cordless fillet grinder LKE 152-F 18-EC, boxed

Order No. 535334

- 1x 18 V cordless belt sander FBE 30-F 18-EC, boxed

Order No. 535333

- 1x 18 V cordless burnisher BSE 50-F 18-EC, boxed

Order No. 535340

- 1x brushing machine BBE 16-3 110, boxed

Order No. 535339

- 1x BSE 16-3 100 burnisher in a box

NEW

Promotion No. 22
6.140⁰⁰
excl. moms

NEW

Promotion No. 23
4.603⁰⁰
excl. moms

NEW

Promotion No. 24
4.090⁰⁰
excl. moms

NEW

Promotion No. 26
5.628⁰⁰
excl. moms

NEW

Promotion No. 27
4.705⁰⁰
excl. moms



Precise removal, right down to the last detail

NEW

- 12V Battery voltage
- BRUSHLESS EC Motor Technology
- 4-Speed
- Restart Protection
- Throttle switch
- Hook and loop fasteners
- Tool-Free
- 35 mm



- A very handy and lightweight machine
- Compact, streamlined and ergonomic design
- Electronic Management System (EMS)
- Brushless motor
- Operation with all FLEX 12 V battery packs. This product is supplied without a battery or charger!
- Very smooth running thanks to vibration optimisation
- Accelerator trigger switch
- Constant speed control
- 4 speed levels, LED display



12 V cordless flower trimmer SPS 3 12-EC oscillating

Technical data	
Battery voltage	12 V
Stroke	3 mm
Idle stroke rate	8000-16,000 rpm
Idling speed	4000 - 8000 rpm
Max. backing pad Ø	30 mm
Vibration	< 2.5 m/s²
Acoustic pressure level	59 dB(A)
Weight without battery pack	0.47 kg
Dimensions L x W x H	147 x 56 x 178 mm

Order No. 535608

- 1x PLC 3 12-EC boxed
- 1x special adhesive pad, cushioned
- 1x special hook-and-loop backing pad, cushioned

Promotion No. 28
3.065⁰⁰
excl. moms

12 V cordless flower trimmer SPS 5 12-EC eccentric, free-running

Technical data	
Battery voltage	12 V
Stroke	5 mm
Idle stroke rate	8000-16,000 rpm
Idling speed	4000 - 8000 rpm
Max. backing pad Ø	30 mm
Vibration	< 2.5 m/s²
Acoustic pressure level	49 dB(A)
Weight without battery pack	0.44 kg
Dimensions L x W x H	126 x 56 x 178 mm


Order No. 535609

- 1x PLC 5 12-EC boxed
- 1x special adhesive pad, cushioned
- 1x special hook-and-loop backing pad, cushioned

Promotion No. 29
3.065⁰⁰
excl. moms

High-gloss innovations


18 V eccentric polisher with freewheel XFE 2 21 18-EC



- As powerful as a cable polisher
- Simple speed adjustment
- 21 mm polishing stroke for rapid progress, even on large surfaces
- New generation of brushless motors
- Newly-developed high-performance gearbox for maximum noise and vibration reduction
- Extremely flat gear head

Technical data	
Battery voltage	18 V
Polishing stroke	21 mm
Max. Idle stroke rate	2700-8700 rpm
Max. Idling speed	1350-4350 rpm
Max. support plate size	150 mm
Weight without battery pack	2.4 kg
Dimensions L x W x H	388 x 125 x 126 mm

Eccentric polisher with freewheel XFE 2 21 14-EC



Technical data	
Power consumption	1400 W
Polishing stroke	21 mm
Max. Idle stroke rate	2700-8700 rpm
Max. Idling speed	1350-4350 rpm
Max. support plate size	150 mm
Weight without battery pack	2.6 kg
Dimensions L x W x H	425 x 125 x 128 mm
Cable length (PUR)	6 m

Order No. 534999

- 1x XFE 2 21 18-EC, boxed

Promotion No. 30

4.357⁰⁰

excl. moms

Order No. 535001


- 1x XFE 2 21 14-EC boxed

Promotion No. 31

4.459⁰⁰

excl. moms

PE 14 LD rotary polisher



- For polishing wheels from Ø 75 mm up to a maximum of Ø 150 mm
- Powerful 1400 W motor
- Accelerator trigger switch
- Idling speed 1100 /min
- Speed adjustment via a speed selector dial operable from both sides

Technical data	
Power consumption	1400 W
Idling speed	1100-3700 rpm
Max. support plate size	150 mm
Max. polishing disc size	150 mm
Acoustic pressure level	81 dB(A)
Vibration	2.6 m/s²
Cable length	4 m
Weight	2.3 kg
Dimensions L x W x H	463 x 72 x 110 mm

Order No. 535118

- 1x PE 14 LD boxed

Promotion No. 32

2.553⁰⁰

excl. moms

18 V battery-powered spray extraction vacuum cleaner VC-SE 9 2x18



- Effective cleaning device for carpets, vehicle interiors, upholstery, seats, floor mats
- With individually removable 9 litre fresh water tank and 7 litre dirty water tank for quick emptying or filling.
- Negative pressure 15000 Pa
- Watertight suction connection with twist lock
- Quick detection of soiling thanks to transparent nozzle
- Holder for nozzle and hose
- With splash protection and transparent battery cover



Spray and suction function can be switched on individually



Up to 35 minutes running time thanks to the use of 2x 8.0 Ah batteries.

Technical data	
Battery voltage	18 V
Tank volume	7 L
Liquid capacity	9 L
Flow rate	3420 l/min
Max. negative pressure	15000 Pa
Hose length	2.5 m
Weight	11.1 kg
Dimensions L x W x H	625 x 340 x 445 mm

Order No. 533498

- 1x VC-SE 9 2x18
- 1x hand nozzle
- 1x suction hose with water supply line
- 1x special cleaner, 125 ml

Promotion No. 33

8.190⁰⁰

excl. moms

Better performance
with FLEX Tabless.

For everyone who expects more.

NEW


More power. Faster charging times. Greater efficiency.
Better performance with Tabless: the new generation of batteries

The new Tabless technology delivers greater performance, shorter charging times and greater efficiency to the FLEX battery system. For anyone who relies on powerful battery performance, rapid deployment and maximum performance in a professional setting.

- +56% longer runtime under load. Longer runtime, higher performance.*
- +42% faster cooling down after use. Less heat for shorter cooling times.
- +41% faster charging. Shorter charging times for faster work processes.



up to
56%
more power*



Full power without any bottlenecks
In conventional cells, all the current has to pass through a narrow contact tab - this generates heat and reduces performance. Tabless technology breaks down this barrier: the entire width of the battery foil serves as a contact surface. This drastically shortens the current paths and reduces the internal resistance to a minimum.

To your benefit on the construction site
Even under extreme conditions, such as when cutting or drilling into concrete, the battery stays significantly cooler. Noticeably more power, extremely short charging times and a longer service life for your battery packs - for maximum productivity without any forced breaks.



The smart technology controls and monitors both tool activity and charging, and uses the LCD display to show the battery charge level.



No self-discharge.
No memory effect.



The unique, integrated cooling system ensures constant temperatures even under heavy loads. Only for 18 V battery packs.



Less energy loss
More efficient thermal management
Higher discharge rate
Longer service life



*The AP 18/8.0 XT achieved 56% more cuts in concrete than the AP 18/8.0 (when used with the COS 230 18-EC cordless angle grinder).

Fast charger with a maximum output of 11.5 A

Now featuring a large-format colour LED display.

For charging 12 and 18 V battery packs.
Includes holes for wall mounting and for hanging on the STACK PACK™rail system.



With large LED colour display for battery diagnostics, charging time and status.



Thanks to a special charging process 80 per cent of the charging capacity is achieved in 21 minutes for the AP 18/2.5, in 25 minutes for the AP 18/5.0 and in 32 minutes for the AP 18/8.0 XT.



100% charging capacity
AP 12/2.5 in 40 minutes,
AP 12/5.0 in 48 minutes,
AP 18/2.5 in 40 minutes,
AP 18/4.0 in 30 mins,
AP 18/5.0 in 39 minutes,
AP 18/8.0 XT in 45 minutes



With integrated battery pack cooling, protection against overheating, discharge and overload.



12V
Li-Ion
Power System

18V
Li-Ion
Power System

NEW

Battery chargers and lithium-ion battery packs

Battery packs with built-in charge/discharge protection.
Dustproof and splashproof. Built-in charge status indicator
offers an instant check of battery cell charge levels.

3-year warranty
Also applies to battery packs and chargers.
For more information, visit www.flex-tools.com



12 V

	Product	Type	Description		Order No.	Price excl. moms
	Fast charger 12 V	CA 12	<ul style="list-style-type: none">For 12 V battery packsIntegrated battery pack cooling, protection against overheating, discharge and overloadWith LED charge indicator	Charging times, 12 V batteries <ul style="list-style-type: none">40 minutes for 2.5 Ah battery pack65 minutes for 5.0 Ah battery pack	532286	503,00
	Power 12-22 Q	P-set 12-22 Q	<ul style="list-style-type: none">Fast charger CA 122x 12 V battery pack AP 12/2.5		531719	1.425,00
	Power 12-55 Q	P-Set 12-55 Q	<ul style="list-style-type: none">Fast charger CA 122x 12 V battery pack 12/5.0		534910	1.794,00
	12 V lithium-ion battery pack	AP 12/2.5			532290	605,00
	12 V lithium-ion battery pack	AP 12/5.0			531690	810,00

18 V

	Product	Type	Description	Order No.	Price excl. moms
	  	Dual charge CA SP 2x 12/18	Charging times, 18 V batteries <ul style="list-style-type: none">40 minutes for 2.5 Ah battery pack60 minutes for 5.0 Ah battery pack85 minutes for 8.0 XT battery pack	533152	1.528,00
	 	Power kit 18-55 Duo SP Power kit 18-55 Duo SP	<ul style="list-style-type: none">1x fast charger CA SP 2x 12/182x 18 V battery pack AP 18/5.0	534911	3.270,00
	 	Power kit 18-88 Duo SP P-Set 18-88 Duo SP	<ul style="list-style-type: none">1x fast charger CA SP 2x 12/182x 18 V battery pack AP 18/8.0	534912	4.910,00
		Fast charger CA2 12/18	<ul style="list-style-type: none">For 12 V and 18 V battery packsIntegrated battery pack coolingOverheating/discharge/overload protection	535296	810,00
	 	Power 22 Q P-set 22 Q	<ul style="list-style-type: none">1x charger CA 182x 18 V battery pack AP 18/2.5	532740	1.589,00
	 	Power 55 R P-Set 55 CA2	<ul style="list-style-type: none">1x fast charger CA2 12/182x 18 V battery pack AP 18/5.0	535895	2.604,00
	 	Power 88 R P-Set 88 XT CA 2	<ul style="list-style-type: none">1x fast charger CA2 12/182x 18 V battery pack AP 18/8.0	535896	4.131,00
	 	18 V lithium-ion battery pack AP 18/2.5		535440	779,00
	 	18 V lithium-ion battery pack AP 18/4.0		535464	1.015,00
	 	18 V lithium-ion battery pack AP 18/5.0		535441	1.220,00
	 	18 V lithium-ion battery pack AP 18/8.0 XT		535463	2.255,00

FLEX pack 18

Choose your three tools* from the powerful 18 V cordless range** and save money on more than just the tools: each FLEXPACK18 includes three 5.0 Ah battery packs, a charger and a bag for free. So pick what you want. The choice is yours!

Find out more!



You save up to
40%
thanks to the FLEX
Power promotion!

5.900⁰⁰

excl. moms

When ordering, please also state the following
FLEXPACK18 order numbers as well as
FLEXPACK18 order no. 497444.

	1 Order No. 530531 2-speed cordless drill driver DD 2G 18.0-EC LD C
	1 Order No. 534901 2-speed cordless drill driver DD 2G 18-EC MD DC C
	1 Order No. 535165 2-speed cordless drill driver DD 2G 18-EC HD2 C
	1 Order No. 491292 4-speed cordless drill driver DD 4G 18.0-EC C
	1 Order No. 520756 Only while stocks last. Cordless impact screwdriver ID 1/4" 18.0-EC-HD C
	1 Order No. 535167 Cordless impact screwdriver ID 1/4" 18-EC-HD2 C
	1 Order No. 491268 Cordless impact screwdriver IW 1/2" 18.0-EC C
	1 Order No. 531502 Cordless impact screwdriver IW 1/2" 400 18-EC C
	1 Order No. 530231 Cordless impact screwdriver IW 1/2" 750 18.0-EC C
	1 Order No. 530189 Cordless impact screwdriver IW 1/2" 950 18.0-EC C
	1 Order No. 492612 Cordless impact screwdriver IW 3/4" 18.0-EC C
	1 Order No. 491233 Only while stocks last. 2-speed cordless hammer drill PD 2G 18.0-EC C
	1 Order No. 530532 2-speed cordless hammer drill driver PD 2G 18.0-EC LD C
	1 Order No. 534903 2-speed cordless hammer drill driver PD 2G 18-EC MD DC C
	1 Order No. 515698 Only while stocks last. 2-speed cordless hammer drill driver PD 2G 18.0-EC-HD C

	1 Order No. 535162 2-speed cordless hammer drill driver PD 2G 18-EC HD2 C
	1 Order No. 491276 Cordless drywall screwdriver DW 45 18.0-EC C
	Order No. 531311 Cordless combination rotary hammer drill FHE 1-16 18.0-EC C
	2 Order No. 491284 Cordless rotary hammer drill CHE 18.0-EC C
	2 Order No. 491314 Cordless combination rotary hammer drill CHE 2-26 18.0-EC
	Order No. 531737 Cordless hot glue gun GG 200 18
	Order No. 531493 Cordless hot air gun HG 530 18
	Order No. 517674 Cordless circular handsaw CS 45 18.0-EC C
	3 Order No. 491322 Cordless circular handsaw CS 62 18.0-EC C
	Order No. 533686 Cordless metal circular saw CSM 57 18-EC
	Order No. 533217 Cordless caulking gun CG 310 18
	1 Order No. 518409 Cordless multi-tool with StarlockMAX MT 18.0-EC C
	Order No. 535371 Cordless angle grinder LBE 76 18-EC
	1 Order No. 499307 Cordless angle grinder LB 125 18.0-EC C
	1 Order No. 499285 Cordless angle grinder LBE 125 18.0-EC C

*You can select the same tool more than once. **Only from the range shown on pages 22/23!

These machines are equipped as standard with the usual basic features. Subject to technical changes, price changes and errors. All prices are non-binding recommended prices excl. VAT

	2 Order No. 530497 Cordless angle grinder L 125 18.0-EC LD C
	1 Order No. 534995 Cordless angle grinder LBE 125-15 18-EC C
	1 Order No. 531770 Cordless angle grinder LBP 125-15 18-EC C
	1 Order No. 518867 Cordless straight grinder DGE 25 18.0-EC
	2 Order No. 532081 Cordless eccentric orbital sander ORE 2-125 18-EC C
	2 Order No. 532087 Cordless delta sander ODE 2-100 18-EC C
	2 Order No. 532084 Cordless orbital sander OSE 2-80 18-EC C
	2 Order No. 534184 Cordless eccentric orbital sander ORE 3-150 18-EC C
	2 Order No. 534186 Cordless eccentric orbital sander ORE 5-150 18-EC C
	2 Order No. 534435 Cordless orbital sander OSE 2-70 x 198 18-EC C
	Order No. 509981 Cordless compact vacuum cleaner VC 2 L MC HIP 18.0- EC
	Order No. 481491 Cordless compact vacuum cleaner VC 6 L MC 18.0
	Order No. 534916 Cordless vacuum cleaner VC 9 L MC 18 RC
	Order No. 503002 Cordless fan CF 18.0/230
	2 Order No. 531634 CER 18.0-EC C Cordless Edge and Router
	Order No. 531279 Cordless lopper GPS 35 18-EC
	Order No. 531275 Cordless hedge trimmer GHT 55 18-EC
	Order No. 531277 Cordless lawn trimmer GLT 35 18-EC
	Order No. 531278 Cordless leaf blower GBL 790 18-EC
	Order No. 472913 Cordless fan BW 18.0-EC
	Order No. 531276 Cordless chainsaw GCS 35 2x18-EC
	1 Order No. 530372 Cordless reciprocating saw RS 25 18.0 C
	2 Order No. 515981 Cordless reciprocating saw RS 29 18.0 C
	2 Order No. 491306 Cordless reciprocating saw RSP DW 18.0-EC C
	2 Order No. 531748 Cordless band saw SBE 64 18-EC
	1 Order No. 485403 Cordless jigsaw JS 18.0-EC C
	1 Order No. 489794 Cordless jigsaw JSB 18.0-EC C

These machines are equipped as standard with the usual basic features. Subject to technical changes, price changes and errors. All prices are non-binding recommended prices excl. VAT

	Order No. 506648 Cordless inflator CI 11 18.0/12V
	Order No. 495964 incl. HP2 2-speed cordless mixer MXE 18.0-EC HP2 120
	Order No. 532276 Cordless building site radio RD 12/18/230
	Order No. 532813 Multiple choice not possible! Cordless building site radio RD SP 12/18/230
	Order No. 533152 Cordless double charger CA SP 2x 12/18
	Order No. 530610 LED cordless lamp WL 1000 18.0
	Order No. 504637 LED cordless lamp WL 2800 18.0
	Order No. 513075 LED cordless lamp WL 300 18.0
	Order No. 532323 LED cordless lamp CL 10000 12/18
	Order No. 532324 LED cordless lamp CL 5000 12/18
	Order No. 532325 LED cordless full-spectrum lamp DWL 2500 12/18
	Order No. 472921 LED cordless building site spotlight CL 2000 18.0
	Order No. 530375 LED cordless building site spotlight TL 4000 18.0/230
	2 Order No. 531330 Multiple choice not possible! Cordless vacuum lifter VLP 18.0 C
	Order No. 535424 Cordless tile vibrator TV 18-EC C
	Order No. 535463 18 V battery pack AP 18/8.0 XT

Economy box kit*

Choose three L-BOXXes from the sizes

- 1** TK-L 136 (507822, Promotion No. 34) **456,00**
- 2** TK-L 238 (507830, Promotion No. 35) **478,00**
- 3** TK-L 374 (507849, Promotion No. 36) **521,00**

and get a bonus matching
anti-slip inlay for each

- 3x L-BOXX®
- 3x anti-slip inlay

Example combination
of TK-L 136, TK-L 238
and TK-L 374

The promotion applies only when purchasing three L-BOXXes!



Made-to-measure box inserts
can be found here:

www.flex-tools.com

Promotions run until 31.01.2027
Only while stocks last

FLEX pack 18XL

Choose your three tools* from the powerful 18 V cordless range** and save money on more than just the tools: Every FLEXPACK18XL comes with two 5.0 Ah battery packs, one 8.0 Ah XT battery pack and a quick charger, all included free of charge. So pick what you want. The choice is yours!

You save up to
35%
thanks to the FLEX
Power promotion!



Find out more!



7.920⁰⁰

excl. moms

When ordering, please also state the listed order numbers as well as FLEXPACK18XL order no. 534453.

FLEX pack 12

Choose your two tools* from our powerful 12 V cordless range** and save money on more than just the tools: Every FLEXPACK12 comes with a DD 2G 12 2-speed drill/driver, two 12/2.5 Ah battery packs, one 12/5.0 Ah battery pack, a charger and a free carry case. So pick what you want. The choice is yours!

You save up to
30%
thanks to the FLEX
Power promotion!



Find out more!



2.680⁰⁰

excl. moms

When ordering, please also state the listed order numbers as well as FLEXPACK12 order no. 535288.

	Order No. 500631 Cordless mitre saw SMS 190 18.0-EC
	Order No. 532636 Cordless compact circular handsaw with pendulum hood CS 68 18-EC C
	Order No. 531749 Cordless belt saw SBE 127 18-EC
	Order No. 531330 Cordless vacuum lifter VLP 18.0 C
	Order No. 535896 P-Set 18-88 XT CA2
	Order No. 532072 Cordless impact screwdriver IW 3/4" 1600 18-EC C

	Order No. 532063 Cordless impact screwdriver IW 1/2" 1500 18-EC C
	Order No. 535468 NB 16-54 18-EC C cordless pin nailer
	Order No. 535470 Cordless staple gun SC 10-38 18-EC C
	Order No. 532813 Cordless building site radio RD SP 12/18/230

NEW
NEW

**FLEXPACK (497444)
(page 22/23) can also be selected!**

	Order No. 533846 2-speed cordless drill driver DD 2G 12-EC C
	Order No. 533847 2-speed cordless hammer drill PD 2G 12-EC C
	Order No. 531707 Cordless drywall screwdriver DW 37 12-EC C
	Order No. 531709 Cordless combination rotary hammer drill FHE 1-16 12-EC C

	Order No. 531316 Cordless jigsaw with pendulum action JSP 12-EC C
	Order No. 531314 Cordless reciprocating saw RS 16 12-EC C
	Order No. 531717 Cordless angle grinder LBE 76 12-EC C
	Order No. 532324 LED cordless building site spotlight CL 5000 12/18


*You can select the same tool more than once. **Only from the range shown on page 24!

*You can select the same tool multiple times. **Only from the range shown on page 25!

12 V cordless angle grinder,
LBE 76 12-EC set



- Max. disc Ø 76 mm
- Head can be rotated 180°
- Idling speed 5000-20,000 rpm
- Electronic brake
- Integrated LED light
- Weight 0.85 kg



For more accessories, please turn to page 68

FLEX
pack 12



Order No. 535121

- 1x LBE 76 12-EC boxed
- 1x charger CA 12
- 1x lithium-ion battery pack AP 12/5.0 Ah
- 1x disc guard
- 1x clip-on cutting guard
- 1x belt clip
- 1x adapter for vacuuming Ø 32 mm
- 2x metal cutting discs M-CD 76/INOX (1 mm)
- 1x Multi-Material Carbide disc CA-CD 76/1.8
- 1x metal roughing disc M-GD 76/4 (4 mm)
- 1x carrying bag

Promotion No. 37
2.767⁰⁰
excl. moms

18 V cordless drywall screwdriver
DW 45 18.0-EC



- Auto-start
- Idling speed 0-4500 rpm
- Electronic quick-acting brake
- Accelerator trigger switch with switch-on lock
- Depth stop can be removed without any tools
- Integrated LED light

Also included in
this promotion:
1x charger CA 18-LD2
2x lithium-ion battery pack AP 18/2.5 Ah



FLEX
pack 18




Order No. 535128

- 1x DW 45 18.0-EC boxed
- 1x charger CA 18.0-LD
- 2x battery pack AP 18/2.5
- 1x bit storage
- 1x belt clip
- 1x bit holder

Promotion No. 38
3.028⁰⁰
excl. moms

Screw magazine attachment M-DW 55
suitable for DW 45 18.0-EC and DW 37 12-EC

INCLUDING
3x bits, version PH
size 2, E6.3



Order No. 531747

- 1x screw magazine attachment M-DW 55



Promotion No. 39
1.357⁰⁰
excl. moms

18 V compact cordless impact screwdriver
IW 1/2" 400 18.0-EC



Max. torque: 400 Nm
Release torque: 600 Nm

- Square drive for 1/2" impact sockets
- Speed Command for 3 speed ranges
- Auto-Stop mode
- Electronic quick-acting brake
- Integrated LED light

Also included in
this promotion:
1x charger CA 18-LD2
2x lithium-ion battery pack AP 18/2.5 Ah
1x impact socket set IPS D17-21 1/2"



FLEX
pack 18



Order No. 535921

- 1x IW 1/2" 400 18.0-EC boxed
- 1x charger CA 18.0-LD
- 2x lithium-ion battery pack AP 18/2.5 Ah
- 1x belt clip
- 1x impact socket set IPS D17-21 1/2"

Promotion No. 40
3.787⁰⁰
excl. moms

Compact 18 V cordless cartridge gun
CG 310/600 18



- Up to 3000 N of compressive force
- 6 speed settings
- Feed rate 0-0.5-14 mm/s
- Cartridge capacity 300-310 ml
- Non-drip
- Integrated LED light



Also included in
this promotion:
1x fast charger CA2 12/18
2x lithium-ion battery pack AP 18/5.0 Ah



Order No. 535922

- 1x CG 310/600 18
- 1x cartridge holder
- 1x charger CA 12/18
- 2x lithium-ion battery pack AP 18/5.0 Ah
- 1x discharge pipe 600
- 1x rod 498 mm
- 1x print piece foil bag
- 1x pressure piece bucket material
- 1x nozzle cap
- 1x hook
- 1x Allen key
- 3x nozzles
- 1x carrying case

Promotion No. 41
5.089⁰⁰
excl. moms

Compact 18 V cordless cartridge gun
CG 310 18

Also included in
this promotion:
1x charger CA 18-LD2
2x lithium-ion battery pack AP 18/2.5 Ah



FLEX
pack 18



Order No. 535923

- 1x CG 310 18
- 1x cartridge holder
- 1x charger CA 18.0-LD
- 2x lithium-ion battery pack AP 18/2.5 Ah

Promotion No. 42
3.245⁰⁰
excl. moms

Price-buster!

18 V cordless angle grinder
L 125 18.0-EC LD/5.0 set



- Ultra-slimline handle section
- Restart protection
- Idling speed 10,000 rpm
- Anti-kickback
- Disc guard adjustable without tools



Also available as a boxed solo machine
(Order No. 530497) for 1.661,00 excl. moms

FLEX
pack 18



Order No. 534329

- 1x L 125 18.0-EC LD
- 1x clamping flange
- 1x clamping nut
- 1x face spanner
- 1x side handle M10
- 1x charger CA 18.0-LD
- 2x lithium-ion battery pack AP 18/5.0 Ah
- 1x disc guard for grinding, Ø 125 mm
- 1x clip-on cutting disc guard Ø 125 mm
- 1x carrying case

Promotion No. 43
3.157⁰⁰
excl. moms

18 V cordless vacuum lifter Grabo VLP 18.0



- Nominal load-bearing capacity 130 kg
- Automatic vacuum hold function
- Digital display



Up to 170 kg depending on the material

FLEX pack 18XL

Order No. 534509

- 1x VLP 18.0
- 1x protective bag
- 1x charger CA 18-LD2
- 1x lithium-ion battery pack AP 18.0/2.5 Ah



Promotion No. 44
3.744⁰⁰
excl. moms

Carry handles

Carry handles and VLP 18 Grabo ensure ergonomic lifting of heavy loads in an upright posture. Quick and easy to assemble, lift the plate and release the vacuum using the integrated foot pedals. The carry handle is height-adjustable and can lift up to 130 kg.

VLP-HCH SOLO

For one person

Order No. 534761

- 1x VLP-HCH SOLO

Promotion No. 45
2.450⁰⁰
excl. moms




VLP-HCH DUO

For two people

Order No. 534762

- 1x VLP-HCH DUO

Promotion No. 46
2.963⁰⁰
excl. moms



A double pack!



18 V cordless gutter bracket slot cutter RFE 40 18.0-EC

RFE 40 18.0-EC

- Brushless motor
- 4-level speed preselection
- Anti-kickback function
- 4 reversible HSS blades
- Planer width 40 mm
- On/Off switch with dead-man function
- Adjustable to 6 and 8 mm



Also included in this promotion:
1x fast charger CA2 12/18
2x lithium-ion battery pack AP 18/8.0 Ah



18 V cordless compact circular saw with pendulum hood CS 68 18-EC

CS 68 18-EC

- Brushless motor
- Angle scale from 0° to 56°.
- Dust extraction connection Ø 27, 36 mm
- Motor brake stops the saw blade in 2 seconds
- Integrated LED light

FLEX pack 18XL

Order No. 535925

- 1x RFE 40 18.0-EC
- 1x CS 68 18-EC
- 1x set of HSS reversible blades (4 pcs)
- 1x Torx screwdriver
- 1x open-ended spanner, waf 30/17
- 1x standard circular saw blade D190
- 1x parallel stop
- 1x dust bag
- 1x carrying case L-BOXX® TK-L 238
- 1x carrying case L-BOXX® TK-L 374

Promotion No. 47
13.444⁰⁰
excl. moms

18 V cordless drill driver DD 2G 18.0-EC LD/2.5 kit



- Very short head length
- Accelerator trigger switch with switch-on lock
- Keyless chuck, metal version
- Electronic quick-acting brake
- Clockwise/anticlockwise rotation with safety catch
- Integrated LED light

Also available as a boxed solo machine (Order No. 530531) for 1.661,00 excl. moms

18 V cordless hammer drill driver PD 2G 18-EC LD 55 TC



- Very short head length
- Accelerator trigger switch with switch-on lock
- Electronic quick-acting brake
- Integrated LED light
- Impact function

Also available as a boxed solo machine in carrying case without charger and without battery packs (Order No. 534915) for 1.835,00 excl. moms

2-speed cordless drill DD 2G 12-LDBC/2.5



- Electronic quick-acting brake
- Accelerator trigger switch with switch-on lock
- Clockwise/anticlockwise rotation with safety catch
- Integrated LED light

18 V cordless tile vibrator TV 18-EC



- A very handy and lightweight machine
- Integrated speed control
- Ø 120 mm vibration plate

Also available as a single unit boxed (order no. 535424) for 1.425,00 excl. moms

Also included in this promotion:
1x charger CA 18-LD2
2x lithium-ion battery pack AP 18/2.5 Ah



65 Nm

Order No. 519049

- 1x DD 2G 18.0-EC LD
- 1x charger CA 18.0-LD
- 2x lithium-ion battery pack AP 18/2.5 Ah
- 1x belt clip
- 1x bit storage
- 1x carrying case

Promotion No. 48
2.040⁰⁰
excl. moms



65 Nm

Order No. 534914

- 1x PD 2G 18-EC LD
- 1x charger CA 18.0-LD
- 2x lithium-ion battery pack AP 18/5.0 Ah
- 1x belt clip
- 1x bit storage
- 1x carrying case

Promotion No. 49
2.450⁰⁰
excl. moms



34 Nm

Order No. 532274

- 1x DD 2G 12-LD
- 1x charger CA 12
- 2x lithium-ion battery pack AP 12.0/2.5 Ah
- 1x carrying case

Promotion No. 50
1.415⁰⁰
excl. moms



Order No. 536626

- 1x TV 18-EC

Promotion No. 51
2.485⁰⁰
excl. moms



Get the garden power sets now!

Cordless hedge trimmer GHT 55 18-EC

- Rotating handle
- Dual safety switch
- Electronic brake stops the tool in 3 seconds

Also included in this promotion:

1x fast charger CA2 12/18
2x lithium-ion battery pack AP 18/5.0 Ah

FLEX

pack 18

Order No. 535135

- 1x GHT 55 18-EC



Also available without power kit (Order No. 531275) for 1.763,00 excl. moms

Matching accessories:
Blade, 55 cm (Order No. 531301) 611,00 excl. moms

Promotion No. 52
3.787⁰⁰
excl. moms

Cordless leaf blower GBL 790 18-EC

- The lightest tool in its class
- 3-level air volume regulation with Boost mode

Also included in this promotion:

1x fast charger CA2 12/18
2x lithium-ion battery pack AP 18/5.0 Ah

FLEX

pack 18

Order No. 535134

- 1x GBL 790 18-EC



Also available without power set (Order No. 531278) for 1.763,00 excl. moms

Promotion No. 53
3.787⁰⁰
excl. moms

18 V cordless lopper GPS 35 18-EC

- Cuts diameters of up to 35 mm
- Switches off automatically after 3 minutes

Also included in this promotion:

1x charger CA 18-LD2
2x lithium-ion battery pack AP 18/2.5 Ah

FLEX

pack 18

Order No. 535133

- 1x GPS 35 18-EC
- 1x oil
- Clamping spanner
- 1x Allen key, WAF 2
- 1x WAF 4 Allen key



Also available without power set (Order No. 531279) for 1.968,00

Promotion No. 54
3.028⁰⁰
excl. moms

Cordless chainsaw GCS 35 2x18-EC

- High-performance 2x 18 V cordless chainsaw
- Cuts up to approx. Ø 30 cm
- Sturdy metal bumper spike
- Brushless motor
- Recoil brake stops the chain in 0.12 seconds
- Tool-free chain tensioning via rotary control
- Automatic chain lubrication
- Noise reduction makes it ideal for use in noise-controlled environments

Also included in this promotion:


1x fast charger CA2 12/18
2x lithium-ion battery pack AP 18/8.0 Ah

FLEX

pack 18

Order No. 535186

- 1x GCS 35 2x18-EC
- 2x saw chain GCS C35 3/8" 1.1 mm



Promotion No. 55
5.957⁰⁰
excl. moms

Matching accessories:
Saw chain (Order No. 531302) 160,00 excl. moms
Saw blade (Order No. 531303) 203,00 excl. moms

Also available without power set (Order No. 531276) for 2.860,00 excl. moms

Cordless lawn trimmer GLT 35 18-EC

- 2-level variable cutting speed
- Cutting width 30 cm
- Thread head with 'Easy load'
- Thread length adjustment with automatic inching
- Thread cutter and spray guard
- Accelerator trigger and continuous operation function

Also included in this promotion:

1x fast charger CA2 12/18
2x lithium-ion battery pack AP 18/5.0 Ah

18 V battery-powered basic drive for various attachments GPH 18-EC

- Powerful battery-powered base drive with brushless motor and 2 speed levels
- Accelerator trigger and continuous operation function

Brush cutter attachment GBC-A

- Tool-free assembly
- 2-level variable cutting speed
- Cutting width 23 cm
- Length 100 cm

High pruner attachment GPS-A

- Tool-free assembly
- With 25 cm long blade
- Chain speed 13 m/s
- Branches up to approx. Ø 20 cm are easy to cut
- Automatic lubrication system with an oil reservoir (120 ml)

Hedge trimmer attachment GHT-A

- Tool-free assembly
- Sawblade length 45 cm
- Double-sided dual-action laser sanding
- Cutting capacity of 20 mm
- Total length of 137 cm
- 12 adjustable cutting angles

Extension GEX-A


- Extends the reach of hedge trimmer and pruner attachments by 80 cm.
- Tool-free assembly

FLEX

pack 18

Order No. 535136

- 1x GLT 35 18-EC



Promotion No. 56
4.004⁰⁰
excl. moms

Also available without power kit (order no. 531277) for 1.968,00 excl. moms

Matching accessories:
Thread head (Order No. 531305) 160,00 excl. moms
Thread, 5 m (Order No. 531304) 87,00 excl. moms

BRUSHLESS

EC-Motor Technology

Order No. 532799

- 1x GPH 18-EC, boxed
- 1x handle
- 1x shoulder strap



Promotion No. 57
1.425⁰⁰
excl. moms

Order No. 532889

- 1x GBC-A, boxed
- 1x knife GBC CB23



Promotion No. 58
1.118⁰⁰
excl. moms

Order No. 532887


- 1x GPS-A, boxed
- 1x saw blade GPS S25
- 1x saw chain GPS C25 0.325" 1.1 mm
- Extension 80 cm



Promotion No. 59
1.118⁰⁰
excl. moms

Order No. 532888

- 1x GHT-A, boxed



Promotion No. 60
1.118⁰⁰
excl. moms

Order No. 534804

- 1x GEX-A, boxed



Promotion No. 61
503⁰⁰
excl. moms


Wall and ceiling sander

The FLEX Giraffe® has always been synonymous with superior handling, good balance and perfect work results.

Giraffe® GE 6 X-EC

Order No. 536620

- 1x Giraffe® GE 6 X-EC
- 1x random orbital sanding head
- 1x clip quick-action clamping ring SH-FC 32
- 1x pack (12 sheets) hook-and-loop sandpaper extra-fine 150 grit
- 1x pack (12 sheets) hook-and-loop sandpaper extra-fine 220 grit
- 1x carrying bag



Promotion No. 62
9.212⁰⁰
excl. moms

Suitable accessories:
Extension EB 500 GE 6
(Order No. 532222)
1.323,00 excl. moms

WL 1000 GE 6 LED Rechargeable Light Ring for GE 6 X/R wall and ceiling sanders

Order No. 534554

- 1x WL 1000 GE 6
- 1x battery



- Simple assembly
- 2 brightness settings, 800 lumen and 400 lumen
- Automatic switch-off sensor
- Visual early warning system signals the end of battery life
- Incl. rechargeable battery with integrated USB-C connection
- Charging time approx. 3.5 hours.
- LED rechargeable battery charge display


Promotion No. 63
1.537⁰⁰
excl. moms

Accessories:
Rechargeable battery with USB-C port
(Order No. 535260) 256,00 excl. moms

Giraffe® GE 6 R-EC

Order No. 536619

- 1x Giraffe® GE 6 R-EC
- 1x segmented sanding head with rotatable edge segment
- 1x carrying bag
- 1 pack (25 sheets) Velcro sandpaper D225 PF-P120 V25 Xtreme Plus



Promotion No. 64
8.704⁰⁰
excl. moms

Giraffe® GE 5 ECO

Order No. 474835

- 1x Giraffe® GE 5 boxed
- 1x clip quick-action clamping ring SH-FC 32
- 1x clip-on adapter SAD-C D36/27 AS/NL



- Easy handling thanks to optimised balance between motor and sanding head
- Reliable power transmission, great flexibility thanks to the flexible drive shaft.

Promotion No. 65
7.842⁰⁰
excl. moms

The compact all-rounders

Unique compact design, effective dust extraction and handy to use - FLEX sanders with speed control are versatile all-rounders when it comes to renovation.

Every promotion on this page also includes:
1x multi-purpose headlamp MWL 150 4



18 V cordless random orbit sander with speed control ORE 5-150 18-EC



Technical data	
Battery voltage	18 V
Idling speed	4000-10,000 rpm
Idle stroke rate	8000-20,000 rpm
Dust extraction connection	Ø 27 mm
Stroke	5 mm
Backing pad diameter	150 mm
Weight without battery pack	1.23 kg
Dimensions L x W x H	220 x 150 x 135 mm



Order No. 536623

- 1x ORE 5-150 18-EC
- 1x dust bag
- 1x adapter, short
- 1x adapter, long

Promotion No. 66
3.353⁰⁰
excl. moms

18 V cordless random orbit sander with speed control ORE 2-125 18-EC



Order No. 536622

- 1x ORE 2-125 18-EC
- 1x dust bag
- 1x adapter, short
- 1x adapter, long

Promotion No. 67
2.919⁰⁰
excl. moms

18 V cordless orbital sander with speed control OSE 2-80 18-EC



Order No. 536625

- 1x OSE 2-80 18-EC
- 1x dust bag
- 1x adapter, short
- 1x adapter, long

Promotion No. 68
2.919⁰⁰
excl. moms

18 V cordless delta sander with speed control ODE 2-100 18-EC



Order No. 536624


- 1x ODE 2-100 18-EC
- 1x dust bag
- 1x adapter, short
- 1x adapter, long

Promotion No. 69
2.919⁰⁰
excl. moms

You will find suitable abrasives from page 58 onwards.
You'll find more industrial vacuum cleaners on Pages 38/39 or at www.flex-tools.com



You will find suitable abrasives from page 58 onwards.
You'll find more industrial vacuum cleaners on Pages 38/39 or at www.flex-tools.com



The combination unit that really gets the dust out.

This promotion brings together everything that belongs together: An efficient sander and compact vacuum cleaner at a great special promotional price.

ORE 2-125 18-EC

FLEX pack 18

Order No. 536636

- 1x ORE 2-125 18-EC
- 1x dust bag
- 1x adapter, short
- 1x adapter, long
- 2x protective backing PS ORE D125

+ 1x VC 9 L MC 18 RC incl. equipment

Promotion No. 70
6.500⁰⁰

excl. moms



Compact 18 V cordless vacuum cleaner VC 9 L MC 18 RC with manual filter cleaning, 9 l, Class L

- 1x VC 9 L MC 18 RC
- 1x carrying strap
- 1x HEPA 13 flat-fold filter
- 1x crevice nozzle
- 1x brush nozzle
- 1x adapter
- 1x suction hose VC 9 SH-C D32x0.5x1.5m
- 1x radio remote control VCE/VC RC set



All of the promotions on pages 34 and 35 also include the following:
1x fast charger CA2 12/18
2x lithium-ion battery pack AP 18/5.0 Ah

OSE 2-80 18-EC

FLEX pack 18

Order No. 536637

- 1x OSE 2-80 18-EC
- 1x dust bag
- 1x adapter, short
- 1x adapter, long
- 2x protective backing PS OSE 80 x 133

+ 1x VC 9 L MC 18 RC incl. equipment

Promotion No. 71
6.500⁰⁰

excl. moms



ODE 2-100 18-EC

FLEX pack 18

Order No. 536638

- 1x ODE 2-100 18-EC
- 1x dust bag
- 1x adapter, short
- 1x adapter, long
- 2x protective backing PS ODE 100 x 150

+ 1x VC 9 L MC 18 RC incl. equipment

Promotion No. 72
6.500⁰⁰

excl. moms



ORE 3-150 18-EC

FLEX pack 18

Order No. 536639

- 1x ORE 3-150 18-EC
- 1x dust bag
- 1x adapter, short
- 1x adapter, long
- 2x protective backing PS ORE D150

+ 1x VC 9 L MC 18 RC incl. equipment

Promotion No. 73
6.500⁰⁰

excl. moms



ORE 5-150 18-EC

FLEX pack 18

Order No. 536524

- 1x ORE 5-150 18-EC
- 1x dust bag
- 1x adapter, short
- 1x adapter, long
- 2x protective backing PS ORE D150

+ 1x VC 9 L MC 18 RC incl. equipment

Promotion No. 74
6.500⁰⁰

excl. moms



Tool + safety vacuum cleaner

The value pack for clean drywall installation

GE 6 X-EC

Order No. 536523

- 1x GE 6 X-EC
- 1x carrying bag
- 1x centring aid

+ 1x VCE 33 M AC incl. equipment

Promotion No. 75
18.001⁰⁰

excl. moms



GE 6 R-EC

Order No. 536627

- 1x GE 6 X-EC
- 1x carrying bag

+ 1x VCE 33 M AC incl. equipment

Promotion No. 76
17.350⁰⁰

excl. moms



GE 5

Order No. 536628

- 1x GE 5
- 1x carrying bag

+ 1x VCE 33 M AC incl. equipment

Promotion No. 77
16.265⁰⁰

excl. moms



Safety vacuum cleaner VCE 33 M with automatic filter cleaning + extensive cleaning kit

- 1x anti-static suction hose Ø 32 mm x 4 m
- 1x L-BOXX® holder
- 1x flat-fold filter PES L/M/H
- 1x fleece filter bag Class L/M
- 1x PP disposal bag
- 1x adapter Ø 25-32 mm, anti-static
- 2x hose holders



ORE 5-150 EC

Order No. 536630

- 1x ORE 5-150 EC
- 1x medium hook-and-loop backing pad
- 1x PES microfilter cartridge
- 1x Allen key

+ 1x VCE 33 M AC incl. equipment

Promotion No. 79

12.250⁰⁰

excl. moms



ODE 2-100 EC

Order No. 536631

- 1x ODE 2-100 EC
- 1x Delta hook-and-loop sanding pad
- 1x PES microfilter cartridge

+ 1x VCE 33 M AC incl. equipment

Promotion No. 80

11.165⁰⁰

excl. moms



OSE 2-80 EC

Order No. 536632

- 1x OSE 2-80 EC
- 1x hook-and-loop backing plate
- 1x PES microfilter cartridge

+ 1x VCE 33 M AC incl. equipment

Promotion No. 81

11.165⁰⁰

excl. moms



LDE 16-8 125 R, Turbo-Jet II kit

Order No. 536633

- 1x LDE 16-8 125 R
- 1x diamond backing pad Turbo-Jet II
- 1x dust extraction guard with brush ring
- 1x bow handle
- 3x cable holders
- 1x Allen key, WAF 4
- 1x face spanner
- 1x L-BOXX® 238 carrying case

+ 1x VCE 33 M AC incl. equipment

Promotion No. 82

14.420⁰⁰

excl. moms



Ø 125 mm



RE 16-5 115, pointed scouring head kit

Order No. 536634

- 1x RE 16-5 115
- 1x pointed milling head
- 1x dust extraction sanding hood Ø 115 mm with brush ring
- 1x milling base Ø 80 mm
- 1x grinding disc Ø 115/M14 hook-and-loop, bowl
- 1x corundum sanding disc kit Ø 115
- 1x bow handle
- 1x ring spanner, WAF 13
- 1x Allen key, WAF 4
- 3x fixing screws, M 8
- 1x L-BOXX® 238 carrying case

+ 1x VCE 33 M AC incl. equipment

Promotion No. 83

15.505⁰⁰

excl. moms



Ø 115 mm



Ø 115 mm



Ø 75 mm



Ø 75 mm



VC 6 L MC

Order No. 532024

- 1x VC 6 L MC
- 1x suction hose 32 mm Ø x 0.5-2.5 m
- 1x flat-fold filter, Class L
- 1x fleece filter bag, Class L
- 1x hand pipe
- 1x crevice nozzle
- 1x round brush
- 1x upholstery nozzle
- 1x padded carrying strap
- 1x running gear



Promotion No. 84
1.454⁰⁰
excl. moms



Matching accessories:
Cleaning kit CLE 32 VC 6
(Order No. 512621)
327,00 excl. moms



VC 21 L MC

Order No. 409979

- 1x VC 21 L MC incl. accessories
- 1x extensive cleaning kit
- 5x fleece filter bags FS-F VC/E 21-26 L VE5



Promotion No. 85
2.160⁰⁰
excl. moms



50 l safety vacuum cleaner VCE 50 WET with integrated water pump

- With an integrated, powerful waste water pump for removing water damage on construction sites, extracting large quantities of liquid, container suction extraction, use in floods, for flat roof renovation, for cleaning garden ponds and pools. A coarse dirt collection bag protects the filter and pump against clogging
- Reliable and safe even when used in wet environments, protection class IP 68
- GFCI operator protection circuit breaker integrated into the cable
- With aluminium C-coupling and extensive accessories
- Equipped with large wheels and two metal swivel guide rollers
- Sturdy container with integrated grip recess for emptying the container easily


Order No. 533349

- 1x VCE 50 Wet
- 1x C-hose D38, 10 m
- 1x filter net
- 1x crevice nozzle, D38, 240mm
- 1x wet floor nozzle, D38, 360 mm
- 1x suction pipe D38
- 1x suction hose D38, 7 m
- 1x pond nozzle D38, 90 mm

Promotion No. 86
9.476⁰⁰
excl. moms



With integrated water pump



10 m dirty water hose with C-pipe connection

Safety vacuum cleaner with automatic filter cleaning VCE 33/44

Standard equipment

- 1x anti-static suction hose Ø 32 mm x 4 m
- 1x L-BOXX® holder
- 1x flat-fold filter PES L/M/H
- 1x fleece filter bag Class L/M
- 1x PP disposal bag
- 1x adapter Ø 25-32 mm, anti-static
- 2x hose holders
- 5x fleece filter bags FS-F VCE L/M
- 1x carrying case L-BOXX® TK-L 102
- 1x extensive cleaning kit



VCE 33 M AC

Order No. 471194

- 1x VCE 33 M AC
- Basic equipment as above

Promotion No. 87
9.174⁰⁰
excl. moms

VCE 33 L AC

Order No. 471186

- 1x VCE 33 L AC
- Basic equipment as above

Promotion No. 88
6.890⁰⁰
excl. moms



VCE 44 M AC

Order No. 471216

- 1x VCE 44 M AC
- Basic equipment as above

Promotion No. 89
9.738⁰⁰
excl. moms

VCE 44 L AC

Order No. 471208

- 1x VCE 44 L AC
- Basic equipment as above

Promotion No. 90
7.368⁰⁰
excl. moms

S 44 L AC

Order No. 536621

- 1x S 44 L AC
- 1x extensive cleaning kit
- 5x fleece filter bags FS-F VCE 33-44 L/M VE5



Promotion No. 91
5.957⁰⁰
excl. moms



Pre-separator VCE PS 25 Cyclone

Order No. 536635

- 1x VCE-PS 25 Cyclone
- 1x hose set for pre-separator
- 1x PE disposal bag

Promotion No. 92
2.594⁰⁰
excl. moms



Also included in this promotion:
10x DB-PE VCE PS 25 VE10

Also available without additional disposal bags (Order No. 533294) for 2.501,00 excl. moms

Watch the video!



Maximum dust protection on the construction site

VAC 800-EC air cleaner for construction sites

Watch the video!



Very efficient
Significantly reduces the pollutant load in rooms up to 100 sq. m within a short time.

Very handy
No installation required. Set up, switch on – clean air.
Filter changed without using tools.

Low overheads
When used properly, the HEPA 14 filter can be used for up to one year. The VAC 800-EC air cleaner is specially designed for continuous operation and impresses with its very low power consumption.

Whisper mode
In special Night mode, the sound pressure level is only 38 dB (A). This means that the operating noise falls below the concentration disturbance threshold and is therefore also ideally suited to places such as classrooms.

Light weight
Weighing just 7.2 kg, the VAC 800-EC is the quietest in its class, and this makes it easy to move.

Robust construction
Specially designed for extreme conditions on construction sites.
The VAC 800-EC is very robust and boasts an impressive long service life.



EC Whisper Turbine ("Made in Germany")

- Long run time
- Long service life
- Low service costs
- Low noise



Tool-free "Top Change" filter change
Thanks to simple operation of the quick-action clamping lever. Prevents unnecessary contact with spent filter cartridges.



Work with negative pressure in the working area
A sluice should be installed to prevent dust from migrating into the environment outside the working area. The cleaned air is discharged from the working area via a hose or is fed back into the working area as cleaned air.


The mobile FLEX Air Cleaner can be put to use immediately and without the need to assemble anything

- Power consumption 170 watts
- Rated power consumption 1.7 - 1.45 A
- Idling speed 0-3930 /min
- Dust extraction connection Ø 125 mm
- Sound pressure level 1 m, 58 dB(A)
- Max. Flow rate 544 m³/h
- Filter surface area H13 > 7.26 m²
- Fuse 10 VA
- Dimensions (L x W x H) 373 x 400 x 508 mm
- Cable length 3.5 m
- Weight 7.2 kg

VAC 800-EC

Order No. 532859

- 1x VAC 800-EC
- 1x HEPA filter H14
- 1 x pre-filter mat G3
- 1 x coarse filter G4
- 1x hose SH 125 x 5 m C




Promotion No. 93
8.670⁰⁰
excl. moms

Accessories

Product	Designation	QTY	Order No.
Hoses	SH 125 x 5 m C	1	477672
	SH 125x6m C	1	488186
	SH 205x7.5m C	1	500399
Filter	Pre-filter mats G3	VFE VAC G3	10 477699
	Coarse filter G4	FE VAC G4	1 477702
	Activated carbon filter G4	FE VAC G4 AK	1 477710
	Fine dust filter F7	FE VAC F7	1 477729
	HEPA 13 filter	FE VAC H13/HEPA	1 477737
	HEPA 14 filter	FE VAC H14/HEPA	1 488194

In the mix!

FLEX professional mixers are causing a stir on the market. Get an ergonomically-optimised solution now for clean, powerful and fast mixing on the construction site. The perfect introductory offer for painters, plasterers and bricklayers.



Full-wave electronic control: with soft start, temperature monitoring, overload protection, and with continuous speed control via the accelerator trigger switch

For each device
2 helical stirrers
including
1x HP2 ...x600 M14
1x HP3R ...x600 M14



1010 W 1-speed mixer MXE 1000

- For mixing applications up to 40 kg
- Idling speed 0-780 rpm



Order No. 531035

- 1x 1-speed mixer MXE 1000
- 1x helical paddle mixer HP2 120 x 600 M14
- 1x helical paddle mixer HP3R 120 x 600 M14

Promotion No. 94
1.834⁰⁰
excl. moms

1200 W 2-speed mixer MXE 1202

- For mixing applications up to 60 kg
- 3-setting switch / setting 1: Cleaning, setting 2: Slow stirring, setting 3: Mixing
- Idling speed, 1st gear 0 - 210 / 325 / 530 rpm
- Idling speed, 2nd gear 0-320 / 490 / 530 rpm



Order No. 531036

- 1x 2-speed mixer MXE 1202
- 1x helical paddle mixer HP2 140 x 600 M14
- 1x helical paddle mixer HP3R 140 x 600 M14

Promotion No. 95
2.485⁰⁰
excl. moms

1600 W 2-speed mixer MXE 1602

- For mixing applications up to 90 kg



Order No. 531037

- 1x 2-speed mixer MXE 1602
- 1x helical paddle mixer HP2 160 x 600 M14
- 1x helical paddle mixer HP3R 160 x 600 M14

Promotion No. 96
3.353⁰⁰
excl. moms

360° cordless line laser ALC 3/360-G/R 12 kit



- Receiver mode
- One horizontal and two vertical 360° laser lines, individually switchable
- Plumb function
- Anti-reflection lenses
- Range up to 100 m, with receiver up to 120 m
- Self-levelling function can be switched off
- 3 brightness levels
- Dust-proof and splash-proof
- Optical warning signal when self-levelling range is exceeded

INCLUDING
Tripod LKS 65-170 F 1/4




Order No. 536617

- 1x ALC 3/360-G/R 12
- 1x laser target plate and glasses
- 1x laser universal holder
- 1x charger CA 12
- 1x rechargeable battery 2.5 Ah AP 12/2.5
- 1x carrying case L-BOXX® 136

Promotion No. 97
6.391⁰⁰
excl. moms



Self-levelling cross-line laser ALC 2/1-G/R



- Individually switchable horizontal and vertical laser line
- Anti-reflection lenses
- Range up to 50 metres/ up to 70 metres with receiver
- Self-levelling can be switched off
- Integrated lithium-polymer rechargeable battery


Order No. 535154

- 1x ALC 2/1-G/R
- 1x magnetic holder
- 1x carrying bag
- 1x USB cable
- 1x USB charger

Promotion No. 98
1.866⁰⁰
excl. moms



Self-levelling cross-line laser ALC 2/1-G/R



- With one horizontal and two vertical laser lines at a 90° angle plus plumb (red laser), individually switchable.
- Range up to 50 metres/ up to 70 metres with receiver
- Anti-reflection lenses
- Battery operating period of more than 6 hours

Order No. 535155

- 1x ALC 3/1-G/R
- 1x magnetic holder
- 1x carrying bag
- 1x USB cable
- 1x USB charger

Promotion No. 99
2.348⁰⁰
excl. moms



Please turn to page 57

Safety information! FLEX laser measuring devices comply with all international safety standards. Products comply with laser class 2 or 2M according to DIN EN 60825-1: 2001-11 (wavelength 635-670 nm, output power < 1mW) and do not harm the eyes or skin when used as directed. Nevertheless, never look directly into the laser beam when using laser measuring devices.

The alternative to the small cutting bench
Diamond cutting wheel for stone CS 60 WET



- Continuous cutting depth adjustment 0-60 mm
- Mitre cuts 0-44 mm
- Cut marking on guide table 0°/30°/45°
- Water supply
- Quick-action coupling for 1/2" water hose
- GFCI operator protection circuit breaker integrated into the cord



Stepless angle adjustment for mitre cuts from 0-45°



High-performance motor: extra-powerful, for cutting stone and milling joints




Order No. 531029

- 1x CS 60 WET
- 1x key for tool changing
- 1x parallel stop
- 1x L-BOXX® 238
- 1x diamond cutting wheel with segmented cutting edge

Promotion No. 100
9.755⁰⁰
excl. moms

INCLUDING
GRS 160
Guide rail



18 V cordless mitre saw SMS 305 18-EC
+ base frame WB 110-260

- Max. cutting sizes: 101 x 330 mm and 92 x 356 mm.
- Overload protection and temperature monitoring
- Quick-action clamping holder
- LED lamp and cutting line indicator
- Convenient, compact and lightweight
- With transport lock and pull catch
- Connector for external dust extraction Ø 27 mm, 36 mm
- Chip collection bag for less dust while working
- Spindle lock for rapid change of saw blade




Also included in this promotion:
1x fast charger CA2 12/18
2x lithium-ion battery pack AP 18/8.0 Ah



Order No. 535130

- 1x SMS 305 18-EC
- 1x standard saw blade
- 1x mitre saw work bench WB 110-260

Promotion No. 101
15.180⁰⁰
excl. moms



18 V cordless benchtop circular saw TS 92 18-EC
Base frame for cordless benchtop circular saw WB TS

- Brushless 18 V motor
- Overload protection and temperature monitoring
- Extra-lightweight cordless benchtop circular saw
- Easy working with CutSense/Auto mode
- Chip collection bag for less dust while working



Also included in this promotion:
1x fast charger CA2 12/18
2x lithium-ion battery pack AP 18/8.0 Ah



Order No. 535129

- 1x TS 92 18-EC
- 1x saw blade D254 x 2.0/1.4 x 30 TCT Z=40/+18° ATB
- 1x disc guard
- 1x parallel stop
- 1x angle stop
- 1x splitting wedge
- 1x anti-kickback device
- 1x push stick
- 1x dust bag
- 1x clip adapter SAD-C 36 AS
- 1x suction adapter
- 1x spanner
- 1x size 5 Allen key
- 1x work bench for cordless benchtop circular saw WB TS

Promotion No. 102
14.095⁰⁰
excl. moms



LED lamp integrated in the parallel fence for optimum illumination of the work area. Rechargeable with USB-C



Stepless angle adjustment for mitre cuts from 0-45°



High-precision parallel fence with rack and pinion system. Supports longitudinal cuts up to 427 mm on the left side and 780 mm on the right side. Very smooth and quick adjustment



Connector for external dust extraction Ø 27 mm, 36 mm

Base frame also as an accessory
(Order No. 532593)
for 913,00 excl. moms





Universal rotary hammer drill
CHE 2-28 R SDS-plus TC



- 800 W hammer and chisel drill
- Drilling with hammer function
- Max. drilling range up to 28 mm in concrete
- Rotation stop for chiselling
- Clockwise/anti-clockwise rotation
- Drilling depth stop for precise working
- Accelerator trigger and continuous operation function




Order No. 533851

- 1x CHE 2-28 R SDS-plus
- 1x handle
- 1x chuck SDS-plus
- 1x drilling depth stop
- 1x carrying case

Promotion No. 103
1.630⁰⁰
excl. moms

4 kg combination rotary hammer drill
CHE 4-32 R SDS-plus




- 900 W
- Drilling chuck can be removed without tools
- Rotation stop for chiselling
- Max. drilling range up to 32 mm
- SDS-plus tool quick-change system
- Function switch with four functions
- Accelerator trigger switch
- Additional handle with limit gauge



Xtreme PLUS

INCLUDING
High-quality 7-part set with 4 cutting edges



Order No. 534506

- 1x CHE 4-32 R SDS-plus
- 1x handle
- 1 x keyless chuck with rotation stop, Ø 1.5-13 mm
- 1x chuck SDS-plus
- 1x drilling depth stop
- 1x L-BOXX® TK-L 238

Promotion No. 104
4.655⁰⁰
excl. moms

5 kg combination hammer drill
CHE 5-40 SDS-max



- Continuously variable speed from 1 to 6
- Power Control LED indicator
- Vibration-dampened, ergonomic bail handle
- No-load blows 1300-2900 rpm
- Max. individual impact energy (in acc. with EPTA) 10 J
- Weight 6.4 kg



Xtreme

INCLUDING
1x flat chisel SDS-Max Xtreme
1x pointed chisel SDS-Max Xtreme



Order No. 532026

- 1x CHE 5-40 SDS-max
- 1x tube of grease
- 1x handle
- 1x carrying case

Promotion No. 105
5.263⁰⁰
excl. moms

RETECFLEX the universal tool for renovation, refurbishment and modernising RE 16-5 115, pointed scouring head kit

- Continuous speed setting
- Soft start and restart protection
- Anti-kickback
- High torque
- Vibration-dampened, ergonomic bail handle
- Extraction connector with FLEX clip system
- Dust extraction guard with continuous height adjustment

- Order No. 531031
- 1x RE 16-5 115
 - 1x pointed milling head
 - 1x dust extraction sanding hood Ø 115 mm with brush ring
 - 1x milling base Ø 80 mm
 - 1x grinding disc Ø 115/M14 hook-and-loop, bowl
 - 1x bow handle
 - 1x ring spanner, WAF 13
 - 1x Allen key, WAF 4
 - 3x fastening screws, M 8
 - 1x L-BOXX® 238 carrying case



INCLUDING
Diamond grinding disc Turbo-Jet II



€128.00 value (excl. moms)



Promotion No. 106
8.127⁰⁰
excl. moms

Compact 1600 W renovation sander for sanding close to the edge
LDE 16-8 125 R, Turbo-Jet II kit

- Soft start,
- 1600 W high-performance motor
- Continuous idle speed control 4500-7800 rpm
- Anti-kickback
- Disc guard with pivoting segment
- Vibration-dampened, ergonomic bail handle
- FLEX clip-on hose connection for Ø 32 mm
- Recessed spindle lock

- Order No. 513474
- 1x LDE 16-8 125 R
 - 1x diamond backing pad Turbo-Jet II
 - 1x dust extraction guard with brush ring
 - 1x bow handle
 - 3x cable holders
 - 1x Allen key, WAF 4
 - 1x face spanner
 - 1x L-BOXX® 238 carrying case



Promotion No. 107
6.500⁰⁰
excl. moms

INCLUDING
Diamond backing pad Screed-Jet Ø 125 mm (backing pad for abrasive materials)



€165.00 value excl. moms

Also available as LD 16-8 125 R, Turbo-Jet II set with constant speed, (Order No. 504939)

2x Turbo-Jet diamond grinding disc, Ø 125 mm

Turbo-Jet backing pad with optimum removal rate The large number of diamond segments results in much smoother running behaviour and a more attractive grinding pattern. For reducing/levelling formwork unevenness and ideal for surface sanding on mineral substrates.

- Order No. 535936
- Turbo-Jet II D125 22.2



Promotion No. 108
1.292⁰⁰
excl. moms



You will find more drill bits and chisels from page 54 onwards.

For matching industrial vacuum cleaners, please see pages 38/39 or visit www.flex-tools.com

2600 W angle grinder
L 26-6 230 TK-S

Ø 230



- Soft start, restart protection, overload protection, CDC constant electronics
- Anti-kickback
- SoftVib handle can be fitted in three positions
- Rear shaft handle can be rotated by 90° anti-clockwise or clockwise



Order No. 466239

- 1x L 26-6 230 TK-S
- 1x carrying case
- 1x SDS-Clc quick-release nut M 14
- 1x diamond cutting wheel, standard concrete Ø 230 mm

Promotion No. 109
2.702⁰⁰
excl. moms

2200 W angle grinder
L 2200 230
+ dust extraction hood DCG AG 230

Ø 230

- Durable motor and gearbox housing.
- Rear shaft handle with soft padding
- Switch with lock-off switch and interlock
- Restart protection
- Soft start
- Disc guard adjustable without tools



Order No. 534511

- 1x L 2200 230
- 1x disc guard 230 Ø grinding
- 1x handle
- 1x clamping flange
- 1x clamping nut M 14
- 1x face spanner
- 1x dust extraction guard DCG AG 230

Promotion No. 110
2.919⁰⁰
excl. moms

2000 W, brushless



Paddle switch only available with model LBP 20-11 125-EC



Eyelet for safety belt only available with model LBP 20-11 125-EC

Toggle switch at top for left- and right-handed users

Powerful 2000 W EC motor. Durable. Efficient.

Spindle lock for easy tool changes



Rubberised inserts for a secure grip

Low grip circumference (205 mm)

Anti-vibration side handle reduces vibrations



Buttons for speed adjustment (only for models with variable speed settings)



Metal mesh screen (removable) offers improved dust protection

900 W angle grinder
LE 9-11 125

Ø 125



- Constant speed control, speed control, soft start, restart protection, overload protection
- Variable speed adjustment (6 settings)
- Compact, streamlined and ergonomic design
- Anti-kickback
- Disc guard adjustable without tools



Order No. 536618

- 1x LE 9-11 125
- 1x disc guard 125 Ø grinding
- 1x cutting guard clip 125 Ø mm
- 1x handle
- 1x clamping flange
- 1x clamping nut M 14
- 1x face spanner

INCLUDING
FixTec quick-release nut M 14



Promotion No. 111
1.292⁰⁰
excl. moms

2200 / 850 W angle grinder
L 2200 230 / L 850 125

Ø 230

Ø 125

2200 W angle grinder
L 2200 230

- Max. grinding tool Ø 230 mm
- Idling speed 6500 rpm
- Power consumption 2200 watts
- Tool holder M 14
- Clamping collar Ø 64 mm
- Cable length 4.0 m
- Weight 5.8 kg

850 W angle grinder
L 850 125

- Max. grinding tool Ø 125 mm
- Idling speed 12,000 rpm
- Power consumption 850 watts
- Tool holder M 14
- Clamping collar Ø 40.3 mm
- Cable length 4.0 m
- Weight 1.8 kg



Order No. 533121

- 1x L 2200 230
- 1x L 850 125
- 1x carrying case

Promotion No. 112
2.160⁰⁰
excl. moms

Also available as a case set with L 2200 230 and L 1100 125 (Order No. 532779) for 2.333,00 excl. moms

Technical data

Model	LB 20-11 125-EC	LBE 20-11 125-EC	LBP 20-11 125-EC	LBE 20-8 125-EC INOX	LBE 20-10 150-EC
Max. tool diameter in mm	125	125	125	125	150
Switch type	Toggle switch	Toggle switch	Paddle switch	Toggle switch	Toggle switch
Power (watts)	2000	2000	2000	2000	2000
Variable speed (rpm)	-	3000 / 4000 / 5000 / 6000 / 7500 / 9400 (11,000)	-	3000 / 4000 / 5000 / 6000 / 7000 / 7800	3000 / 4000 / 5000 / 6000 / 7500 / 8500 (10,000)
Max. speed (rpm)	11,000	11,000	11,000	7800	10,000
Idle speed (level 6) rpm	9400	9400	9400	7500	8500
Length in mm	350	350	350	350	350
Weight with cable in kg	2.75	2.75	2.75	2.75	2.75
Order No.	534017	534016	534018	534019	534020
Promotion No.	113	114	115	116	117
Recommended retail price excl. moms	2.870,00	3.075,00	3.075,00	3.075,00	3.075,00

STACK PACK™

Your mobile workshop for maximum flexibility!



More info about STACK PACK™ can be found at www.flex-tools.com



All-round package

TK-L SP KIT-1

- Roller box TK-L SP RB
- Medium box TK-L SP MB
- Big organiser TK-L SP BO

Order No. 531461

Promotion No. 118
3.270⁰⁰
excl. moms



Organiser's Pack

TK-L SP KIT-2

- Trolley TK-L SP RD
- Drawer box TK-L SP 3DB
- Drawer box TK-L SP 2DB
- Worktop TK-L SP WT

Order No. 533247

Promotion No. 119
4.910⁰⁰
excl. moms




Adapter plate SP-MAP

For attaching all standard boxes to the STACK PACK™ system. With the adapter plate, the STACK PACK™ boxes can be combined with the following system boxes: Metabo/metaBOX, Makita/MakPac, FLEX/L-Boxx, Festool/Systainer, DeWalt/Tstak, Bosch/L-Boxx.

Order No. 534077

Promotion No. 120
503⁰⁰
excl. moms



Rucksack TK-L SP BP		NEW	Order No.	Promotion No.	RRP incl. VAT
			535841	121	1.425,00
Roller box TK-L SP RB			Order No.	Promotion No.	RRP incl. VAT
		531464	122	1.938,00	
Roller box TK-L SP RB		NEW	Order No.	Promotion No.	RRP incl. VAT
			535842	123	1.938,00
Medium box TK-L SP MB			Order No.	Promotion No.	RRP incl. VAT
		531465	124	1.077,00	
Drawer box TK-L SP 3DB			Order No.	Promotion No.	RRP incl. VAT
		533239	125	2.245,00	
Drawer box TK-L SP 2DB			Order No.	Promotion No.	RRP incl. VAT
		533240	126	2.143,00	
Garage box TK-L SP CB			Order No.	Promotion No.	RRP incl. VAT
		533241	127	1.835,00	
Top box TK-L SP TB			Order No.	Promotion No.	RRP incl. VAT
		531466	128	810,00	
Box TK-L SP C			Order No.	Promotion No.	RRP incl. VAT
		533238	129	667,00	
Deep box TK-L SP DO			Order No.	Promotion No.	RRP incl. VAT
		533242	130	1.015,00	

Big organiser TK-L SP BO	Order No.	Promotion No.	RRP incl. VAT
	531467	131	708,00
Small Organizer TK-L SP SO	Order No.	Promotion No.	RRP incl. VAT
	531468	132	400,00
Trolley TK-L SP RD	Order No.	Promotion No.	RRP incl. VAT
	533246	133	1.015,00
Worktop TK-L SP WT	Order No.	Promotion No.	RRP incl. VAT
	533245	134	605,00
Small bag TK-L SP TT	Order No.	Promotion No.	RRP incl. VAT
	533244	135	334,00
Tool bag TK-L SP TT	Order No.	Promotion No.	RRP incl. VAT
	533243	136	1.118,00
Cable wrap TKH KW	Order No.	Promotion No.	RRP incl. VAT
	531472	137	195,00
Spirit level holder TKH ADL	Order No.	Promotion No.	RRP incl. VAT
	531469	138	195,00
Tool holder rails side TKH WS	Order No.	Promotion No.	RRP incl. VAT
	531471	139	410,00

TRACK-LOCK™

The smart wall-mounting system
for a tidier workshop.

NEW

The TRACK-LOCK™ wall-mounting system is a modular mounting system that allows for the efficient use of wall space in workshops, garages, garden sheds, etc. It is based on a permanently fitted metal rail. Thanks to the quick-release system, various accessories such as holders, hooks, shelves, etc. can be attached, repositioned or removed at the touch of a button without the need for tools - ensuring maximum flexibility and countless configuration options. The wall rail, which serves as the base module, is 81 cm long and has a load capacity of up to 34 kg. It also offers multiple attachment points. Equipped with removable end caps for mounting multiple rails side by side.




More info about
STACK PACK™
can be found at
www.flex-tools.com

TRACK-LOCK 32" WMR wall-mounting rail	QTY	Order No.	Promotion No.	RRP incl. VAT
	1	535724	140	204,00
TRACK-LOCK™ magnetic rail	QTY	Order No.	Promotion No.	RRP incl. VAT
	1	535731	141	266,00
Double hook TRACK-LOCK DSH VE2	QTY	Order No.	Promotion No.	RRP incl. VAT
	2	535725	142	184,00
Folding double hook TRACK-LOCK LFDH VE2	QTY	Order No.	Promotion No.	RRP incl. VAT
	2	535726	143	276,00
Folding double C-hook TRACK-LOCK LFDCH VE2	QTY	Order No.	Promotion No.	RRP incl. VAT
	2	535727	144	307,00
Double C-hook TRACK-LOCK DCH VE2	QTY	Order No.	Promotion No.	RRP incl. VAT
	2	535746	145	204,00
Folding U-hook TRACK-LOCK LFUK VE2	QTY	Order No.	Promotion No.	RRP incl. VAT
	2	535740	146	344,00
S-hook TRACK-LOCK SH VE2	QTY	Order No.	Promotion No.	RRP incl. VAT
	2	535729	147	184,00
TRACK-LOCK™ TCTM triple-clamp tool holder	QTY	Order No.	Promotion No.	RRP incl. VAT
	1	535908	148	368,00

TRACK-LOCK™ SR reel holder	QTY	Order No.	Promotion No.	RRP incl. VAT
	1	535730	149	143,00
TRACK-LOCK™ SDR screwdriver holder	QTY	Order No.	Promotion No.	RRP incl. VAT
	1	535732	150	122,00
Long shelf TRACK-LOCK LS	QTY	Order No.	Promotion No.	RRP incl. VAT
	1	535735	151	385,00
Compact box TRCLCK CS	QTY	Order No.	Promotion No.	RRP incl. VAT
	1	535734	152	204,00
Small organiser box TRCLCK SO VE2	QTY	Order No.	Promotion No.	RRP incl. VAT
	2	535737	153	92,00
TRACK-LOCK™ LO large organiser box	QTY	Order No.	Promotion No.	RRP incl. VAT
	1	535738	154	92,00
Holder for organiser TRCLCK OBTR	QTY	Order No.	Promotion No.	RRP incl. VAT
	1	536485	155	143,00
Holder for angle grinders and polishers TRACK-LOCK AG - PH	QTY	Order No.	Promotion No.	RRP incl. VAT
	1	535736	156	266,00
Tool holder TRACK-LOCK TR	QTY	Order No.	Promotion No.	RRP incl. VAT
	1	535733	157	323,00

Drills, bits and more




Hammer drills



Type	Description	Ø mm	Total length mm	Order No.	Price <small>excl. moms</small>
	HD 4-C D5-12 Set SDS-plus Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	5	110	533610	667,00
		6	110		
		8	110		
		6	160		
		8	160		
		10	160		
		12	160		

Metal drills



Type	Description	Ø mm	Order No.	Price <small>excl. moms</small>
	D-M D1-10 Set HSS-G VE19	HSS G 19-part drill bit set DIN 338: Ø 1-10 x 0.5	Ø 1-10 x 0.5 mm	534072 298,00
	D-M D1-13 set HSS-G 25-pack	HSS G 25-part drill bit set DIN 338: Ø 1-13 x 0.5	Ø 1-13 x 0.5 mm	534073 605,00
	D-M D1-10 set HSS-Co 19-pack	HSS Co 19-part drill bit set DIN 338: Ø 1-10 x 0.5	Ø 1-10 x 0.5 mm	534075 728,00
	D-M D1-13 Set HSS-Co VE25	HSS Co 25-part drill bit set DIN 338: Ø 1-13 x 0.5	Ø 1-13 x 0.5 mm	534076 1.528,00
	D-M D3-8 Set HSS-R VE5	HSS-R Drill Bit Set, 5-piece, DIN 338	Ø 3-4-5-6-8	535901 92,00
	D-M D3-10 Set HSS-R VE7	HSS-R Drill Bit Set, 7-piece, DIN 338	Ø 3-4-4-5-6-8-10	535902 133,00

Wood drills

Type	Description	Ø mm	Order No.	Price <small>excl. moms</small>
	D-W D3-7 Set VE5	Wood drill bits, CV 5-piece set	Ø 3-4-5-6-7	535903 71,00
	D-W D3-7 Set VE7	Wood drill bits, 7-piece CV set	Ø 3-4-5-6-7-8-10	535904 112,00

Masonry drills

Type	Description	Ø mm	Order No.	Price <small>excl. moms</small>
	D-S D5-12 Set VE5	Stone drill bits, 5-piece set	Ø 5-6-8-10-12	535905 143,00
	D-W D3-12 Set VE7	Stone drill bits, 7-piece set	Ø 4-5-6-8-10-12	535906 204,00

Bit sets

	Head	Type	Total length mm	Order No.	Price
					excl. moms
	+	DB Bulk PH2 (25 pcs)	25	530489	108,00
		DB Bulk PH2 (15 pcs)	50	534158	159,00
		DB Bulk PZ2 (25 pcs)	25	534550	108,00
		DB Bulk PZ2 (15 pcs)	50	534551	159,00
	✳	DB Bulk T10 (25 pcs)	25	534154	108,00
		DB Bulk T15 (25 pcs)	25	534155	108,00
		DB Bulk T20 (25 pcs)	25	530490	108,00
		DB Bulk T25 (25 pcs)	25	530491	108,00
		DB Bulk T30 (25 pcs)	25	530492	108,00
		DB Bulk T40 (25 pcs)	25	530493	108,00
		DB Bulk T20 (15 pcs)	50	534156	159,00
		DB Bulk T25 (15 pcs)	50	534157	159,00
		DB Bulk T30 (15 pcs)	50	534552	159,00


Product	Set contents	Accessories	Order No.	Price
				excl. moms
	45-piece bit set DB 45	25 mm: PH1 (2x), PH2 (3x), PH3 (2x), PZ1 (2x), PZ2 (3x), PZ3 (2x) H3, H4, H5, H6, SL4, SL5, SL5.5, SL6, T15, T20 (3x), T25 (3x), T30 (3x) T40	535105	482,00
		50 mm: T25, T30, T40, PH2 (2x), H5		
	41-piece bit set DB 41	25 mm: PH1, PH2 (x2), PH3, PZ1, PZ2, PZ3, PZ4, SL4, SL5, SL6; T10, T15, T20(x2), T25(x3), T30(x3), T40(x3)	530494	462,00
		50 mm: T10, T15, T20 (x2), T25 (x3), T30 (x3), T40 (x3)		
	31-piece bit set DB 31	25 mm: PH1, PH2 (x2), PH3; PZ1, PZ2 (x2), PZ3, H4, H5, H6, T10(x3), T15(x3), T20(x4), T25(x4), T30(x3), T40(x2)	533103	204,00
	15-piece bit set DB 15		534463	400,00
		50 mm: T20, T25(x2), T30, T40, PH2		

Impact nut set

Product	Set contents	Order No.	Price
			excl. moms
	Tailor-made automotive impact socket set for impact wrenches, especially suitable for aluminium rims with PET protection against scratches. Made of high-quality alloy steel, very durable and resilient. With colour coding for easy identification of sizes. Box suitable for the STACK PACK™ system, stackable.	534706	399,00
	Contents: Ø 17, 19, 21 mm, size 1/2 inch.		
	Customised impact socket set with thin-walled housing, ideal for narrow working areas with 1/2 inch sockets. Manufactured from high-quality chrome-molybdenum steel, making it particularly resistant to high torques. Radius corners in a 6-point design ensure a secure hold without slipping or breaking. Box suitable for the STACK PACK system, stackable.	534707	461,00
	Contents: Ø 10, 11, 13, 15, 17, 19 mm, length 35 mm and an adapter from 1/4 E6.3 to 1/2 inch.		



Mixing paddles

Description	Designation	Ø	Mix	Connection	Order No.	Price
						excl. moms
 Bitumen stirrer BP Suitable for very viscous materials with high adhesion thanks to its hooked shape. The parallel mixing effect prevents lumps from forming and air being stirred in. Ideal for bitumen and bituminous, fibrous compounds. Durable and long-lasting thanks to powder coating.	BP 160x600 M14	140 mm	130 kg	M14	534041	349,00
	SP2 100x600 M14	100 mm	8-25 kg	M14	534023	257,00
 Spiral paddle mixer SP Two negatively arranged discs press the mix downwards, preventing liquid material from spraying out. Ideal for liquid to viscous material: Paints, dispersions, varnishes, glazes, coatings, pastes, bitumen. Durable and long-lasting thanks to powder coating.	SP2 120 x 600 M14	120 mm	20-40 kg	M14	534024	277,00
	SP2 85 x 400 WAF8	85 mm	0-10 kg	WAF8	534025	175,00
	SP2 100 x 600 WAF10	100 mm	8-25 kg	WAF10	534026	246,00
 Helical paddle mixer HP2 Two right-handed spirals for kneading and mixing viscous to pasty materials. The stirring rod screws itself downwards and pushes the mix upwards. Highly versatile and ideal for: Tile adhesive, sealant, filler, finishing plaster, adhesive mortar, levelling compound, screed. Durable and long-lasting thanks to powder coating.	HP2 120x600 M14	120 mm	15-25 kg	M14	534027	308,00
	HP2 140 x 600 M14	140 mm	20-40 kg	M14	534028	359,00
	HP2 160 x 600 M14	160 mm	20-40 kg	M14	534029	462,00
 Helical paddle mixer HP3R Three right-handed spirals screw themselves into the material. Even heavy and viscous materials can be mixed quickly and intensively with little effort. Also known as a mortar or heavy-duty mixer. Ideal for: Mortar, concrete, plaster, screed, bonding agents, thick coatings. Durable and long-lasting thanks to powder coating.	HP3R 120x600 M14	120 mm	15-25 kg	M14	534030	400,00
	HP3R 140 x 600 M14	140 mm	20-40 kg	M14	534031	451,00
	HP3R 160 x 600 M14	160 mm	30-60 kg	M14	534032	513,00
 Helical paddle mixer HP3L Three left-handed spirals press the mix down into the hopper. Settled pigments, solids or fibers are rinsed up and evenly mixed. The mix does not splash. Ideal for liquid and creamy mixes: Paints, emulsion paints, gypsum plaster, casting compounds, materials containing fibers. Durable and long-lasting thanks to powder coating.	HP3L 120x600 M14	120 mm	15-25 kg	M14	534033	400,00
	HP3L 140 x 600 M14	140 mm	20-40 kg	M14	534034	451,00
	HP3L 160 x 600 M14	160 mm	30-60 kg	M14	534035	503,00
 Disc paddle mixer DP2 Two discs with blades angled in opposite directions create a dynamic flow in the mixing container. The blades on the discs push the stirred product downwards or upwards in opposite directions. Ideal for liquid to viscous material: Paints, dispersions, paste, glue, casting compounds. Durable and long-lasting thanks to powder coating.	DP2 120x600 M14	120 mm	15-25 kg	M14	534036	359,00
	DP2 160x600 M14	160 mm	30-60 kg	M14	534037	472,00
 Whisk BE Stirring arms made of round material prevent air bubbles from being stirred in. Ideal for all materials where air pockets must be avoided: Leveling compounds, fillers, adhesives, sealants. Durable and long-lasting thanks to powder coating.	BE 120x600 M14	120 mm	10-30 kg	M14	534038	298,00
	BE 140 x 600 M14	140 mm	30-60 kg	M14	534039	359,00
	BE 150 x 600 M14	150 mm	30-60 kg	M14	534040	400,00
 Helical paddle mixer HP2 Two spiral-shaped elements draw the mixture upwards from below. The ring prevents damage to the mixing vessel (HP only). Highly versatile and ideal for: Tile adhesive, sealant, filler, finishing plaster, adhesive mortar, levelling compound, screed. Durable and long-lasting thanks to powder coating.	HP 85x500 WAF8	85 mm	10-15 kg	WAF 8	536275	175,00
 Helical paddle mixer HP2 Two spiral-shaped elements draw the mixture upwards from below. Highly versatile and ideal for: Tile adhesive, sealant, filler, finishing plaster, adhesive mortar, levelling compound, screed. Durable and long-lasting thanks to powder coating.	UHP 85 x 400 WAF8	85 mm	10-15 kg	WAF 8	536276	175,00
 PMP plastic stirrer Featuring plastic blades, the stirrer stirs the mixture from side to side. Ideal for liquid and light materials, such as wall paints, emulsion paints, varnishes, etc. The smooth surface makes it easy to clean.	PMP 60x350 6 mm	60 mm	1-5 kg	6 mm	536277	71,00

Now's the time to really save money!

With the clever abrasive starter sets.

You save up to **35%**
thanks to the FLEX
Power promotion!

Ø 125 mm

	Product	Type/grit	QTY	Order No.	Price excl. moms
	D125 ST set for random-orbital sanders, Ø 125 mm	2x PS ORE D125 25x D125-8 SV P60 25x D125-8 SV P80 25x D125-8 SV P120 25x D125-8 SV P150	102	534771	687,00

Ø 150 mm

	Product	Type/grit	QTY	Order No.	Price excl. moms
	D150 ST set for random-orbital sanders, Ø 150 mm	2x PS ORE D150 25x D150-14 SV P60 25x D150-14 SV P80 25x D150-14 SV P120 25x D150-14 SV P150	102	534770	769,00

Ø 225 mm

	Product	Type/grit	QTY	Order No.	Price excl. moms
	D225 ST set for Giraffe® GE 5 / GE 6-R	2x PS GE-R D225 12x D225-10 SF-P80 12x D225-10 SF-P120 12x D225-10 SF-P180 12x D225-10 SF-P220	350	534769	974,00

Hook-and-loop sanding disc Ø 225 mm



Product	QTY	Type/grit	Order No.	Price excl. moms
 D225 PF Hook-and-loop sandpaper Xtreme Plus The tried-and-tested premium sandpaper with uncompromising quality and outstanding extraction - thanks to multi-hole. Suitable for almost all applications.	25	P 40	280739	954,00
	25	P 60	260233	954,00
	25	P 80	260234	954,00
	25	P 100	260235	913,00
	25	P 120	282405	913,00
	25	P 150	311995	913,00
	25	P 180	311987	913,00
	25	P 220	260236	913,00
	12	P 40	531908	405,00
	12	P 60	531909	405,00
 D225-10 MF Sandpaper eccentric Xtreme The super finishing paper for extra-fine surface quality. Particularly suitable for soft materials.	12	P 80	531544	405,00
	12	P 100	531903	389,00
	12	P 120	531904	389,00
	12	P 150	531905	389,00
	12	P 180	531906	389,00
	12	P 220	531907	389,00
	12	P 100	534172	328,00
	12	P 120	534173	328,00
 D225 N Mesh abrasives Xtreme Plus Specially developed to tackle dusty substrates in drywall construction. The innovative open grid structure ensures dust is removed from the entire surface. High abrasiveness, very long service life. Please always use it with Padsaver!	12	P 150	534174	328,00
	12	P 180	534175	328,00
	12	P 240	534176	328,00
	12	P 320	534171	328,00

Interface pad/carrier plate

	Interface pad medium	IP D225-10 M GE 6 R	532674	194,00
	Medium interface pad for extra-fine sandpaper	IP D225-10 MF GE 6 R	532696	194,00

Protective backing

	Padsaver for GE 6-R	PS GE-R D225 2-pack	534179	334,00
	Padsaver for GE 6-X	PS GE 6-X D225 VE3	534323	481,00

StarlockMAX saw blade sets

		<div><div>Xtreme</div><div>Xtreme PLUS</div></div>	
Product	Set contents	Order No.	Price excl. moms
	Floor and installation With Starlock attachment for optimum power transfer and convenient blade change. Outstanding service life, for versatile flooring work.		
	SM FI-SET VE4 Contents: 1 plunge-cut saw blade curved for precise cuts in wood, 1 plunge-cut saw blade curved for hardwood and abrasive wood-based materials, 32 x 50 mm, 1 scraper multi-material for hard residues such as glue, mortar, 52 mm, 1 segment saw blade for wood and soft metal, 85 mm.	535179	564,00
	Electrics and Dry construction With Starlock attachment for optimum power transfer and convenient blade change. Outstanding service life, for versatile work by electricians and drywall fitters.		
	SM ED-SET VE6 Contents: 1 asymmetrical saw blade with 2 functions enables straight cuts in e.g. drywall boards and clean cutting of corners. Drywall boards and clean cutting of corners, 53 x 40 mm, 2 saw blades curved for precise cuts in wood and metal, 32 x 50 mm, 1 plunge-cut saw blade for precise cuts in wood, soft metal, plastic, 65 x 40 mm, 1 plunge-cut saw blade bi-metal for cuts in wood and metal, 1 plunge-cut saw blade, narrow shape 20 x 30 mm, ideal for small cut-outs in wood and unhardened metal.	535180	769,00
	Renovation work With Starlock attachment for optimum power transfer and convenient blade change. Outstanding durability, for versatile renovation work.		
	SM RE-SET VE9 Contents: 1 scraper multi-material for hard residues such as glue, mortar, 52 mm, 1 saw blade curved for precise cuts in wood and metal, 32 x 50 mm, 1 sanding plate for sanding wood, removing paint from surfaces, ideal for corners. With matching sandpaper: 2x P80, P120, 1x P240. 1 segment saw blade for wood with tapered ends, making it possible to reach corners and hard-to-reach areas.	535181	872,00
	Wood and metal With Starlock attachment for optimum power transfer and convenient blade change. Outstanding performance for hard metals and woodworking. Contents: 1 each of a BiM plunge-cut saw blade for wood + metal, 32 x 50 mm and 64 x 40 mm. 1 BiM plunge-cut saw blade for hard wood, 32 x 50 mm	531055	298,00
	Tile With Starlock attachment for optimum power transfer and convenient blade change. The cutting edges are studded with carbide for increased wear resistance Ideal for sanitation jobs, e.g. for removing tile joints, sawing off copper pipes. Contents: 1 carbide thin-section segmented blade, 85 mm, 1 carbide delta blade, 78 mm, 1 BiM plunge-cut saw blade for metal, 32 x 50 mm.	531056	605,00
	SM/RM-SET VE3		

Jigsaw blades

Jigsaw blades

Xtreme

Xtreme PLUS

Type	corresponds to Bosch type	QTY	Order No.	Price excl. moms	
<div><div>NEW</div><div></div></div>	JS CW 75/2.5 VE5 Xtreme	T 101 B	5	535879	102,00
	JS FW 75/4 VE5 Xtreme Plus	T 244 D	5	535880	92,00
	JS UW 91/2.5 VE5 Xtreme Plus	T 234 X	5	535881	174,00
	JS FW 105/4 VE5 Xtreme Plus	T 344 D	5	535876	153,00
	JS M 75/2 VE5 Xtreme	T 118 B	5	535872	102,00
	JS FW 155/4 VE5 Xtreme Plus	T 744 D	5	535874	204,00
	JS CW 105/4 VE5 Xtreme	T 301 CD	5	535871	133,00
	JS M 55/1.2 VE5 Xtreme Plus	T 118 AF	5	535877	153,00
	JS M 105/1.1 VE5 Xtreme Plus	T 318 AF	5	535873	184,00
	JS WM 75/1.8/2.5 VE5 Xtreme Plus	-	5	536139	184,00
	JS W/M 55-75 Set VE5 Xtreme Plus	-	5	535897	143,00
	JS M 55/1.2 VE5 Xtreme	T 118 A	5	535875	102,00
	JS FW 75/4 VE5 Xtreme Plus	T 144 D	5	535878	92,00

Similar to the illustration

Similar to the illustration

Ideally equipped for every application

Accessories for LBE 76 12-EC / LBE 76 18-EC, Ø 76 mm

Accessories for LBE 76 12-EC / LBE 76 18-EC, Ø 76 mm		Xtreme		Xtreme PLUS	
Product	Type	QTY	Order No.	Price excl. moms	
 Cutting/roughing disc starter set	S set LBE76	1	533228	190,00	
 Thin cutting disc (1 mm) for stainless steel/steel, flat	M-CD 76/1 INOX VE5	5	533229	118,00	
 Carbide cutting disc (1 mm), flat With sharp and durable cutting surface, carbide-tipped, thickness 1 mm, Ø 76 mm. Excellent for cutting materials such as wood with nails, plastic, fibreglass and drywall.	CA-CD 76/1	1	533715	159,00	
 Diamond cutting disc for tiles, flat Thanks to the fine diamond coating, it cuts through hard materials effortlessly without chipping or cracking. This guarantees high cutting quality and a long service life. Thickness 1 mm, Ø 76 mm.	DIA-CD 76/1	1	533716	221,00	
 Bundled as pack of 3	<div>DEAL!</div> DIA-CD 76/1	3	535122	433,00	
 Metal roughing disc, depressed	M-GD 76/4 VE3	3	533230	108,00	
 NEW Fan-shaped grinding disc for metal and stainless steel.	FD P40 D76x10 VE3	3	535799	102,00	
	FD P60 D76x10 VE3	3	535800	102,00	
	FD P80 D76x10 VE3	3	535801	102,00	

Diamond cutting discs

		Xtreme		Xtreme PLUS	
Product	Type	QTY	Order No.	Price excl. moms	
<div><div>NEW</div></div> <div>Diamantjet Universal Xtreme Plus</div>	D-DISC U 115x22.2	1	536287	400,00	
	D-DISC U 125x22.2	1	536288	421,00	
	D-DISC U 230x22.2	1	536289	810,00	
	D-DISC U 350x25.4-20.00	1	536290	1.323,00	
<div><div>NEW</div></div> <div>Diamantjet Concrete Xtreme</div>	D-DISC C 125x22.2	1	536291	195,00	
	D-DISC C 230 x 22.2	1	536292	421,00	
<div><div>NEW</div></div> <div>Diamantjet Xtreme Plus Tile</div>	D-DISC T 115x22.2	1	536293	308,00	
	D-DISC T 125x22.2	1	536294	359,00	
<div><div>NEW</div></div> <div>Diamantjet Multicutter Xtreme Plus</div>	D-DISC M 115x22.2	1	536295	308,00	
	D-DISC M 125x22.2	1	536296	349,00	
	D-DISC M 230 x 22.2	1	536297	667,00	
<div><div>DEAL!</div></div> <div>Standard diamond cutting discs for concrete</div>	D-TCS S 230x22.2	3	534512	Fast, durable universal cutting disc, suitable for concrete and stone.	

Quick-clamp nut M14

Product	Type	QTY	Order No.	Price excl. moms	
<div></div> <div>For tool-free disc replacement; suitable for discs with a diameter of 115-150 mm.</div>	FIXTEC M14	1	535365	204,00	
<div><div>NEW</div></div> <div>For tool-free disc replacement; is recommended for discs with a diameter of 150-230 mm.</div>	FFN M14	1	535459	204,00	

3
YEARS

FLEX WARRANTY

Simply register and use the 3-year warranty immediately.

Our products are thoroughly tested to ensure FLEX premium quality. That’s why we offer you a free all-round carefree package with our 3-year warranty - on all power tools, Li-ion batteries, matching chargers and laser measuring instruments (does not apply to H-class vacuum cleaners).

Simply register your power tool within 30 days of purchase at <https://warranty.flex-tools.com> and enjoy the benefits:

- Warranty period extended to three years
- Service certificate in case repairs are needed
- Repair status tracking if the tool is under warranty

Also applies to battery packs and chargers.



Do you always want to have your warranty certificates on your smartphone and manage them on the go?

No problem - the FLEX Warranty app lets you conveniently use the 3-year warranty service while you’re out and about. Simply download the free app to use the service.



DISCOVER. CREATE. FLEX.

3D PRINT YOUR TOOL ACCESSORY

Download free 3D printing files for wall mounts for your FLEX machines

Do you want to tidy up your detailing shop? Finally get your FLEX tools into a cool holder?

Then simply download our free 3D print data in our shop and print out the FLEX holders on your 3D printer! If you don't have a 3D printer, you can also have the holders printed by an online supplier.



for download
www.3dprint-flex-tools.com

